

Core no. V 17-165      N 32° 20.72'    W 41° 44.6':      3924 m b.s.l.

Age control:      Date: 06/1998

- *G. sacculifer*, *G. ruber* and *G. inflata* <sup>18</sup>O records (Sarnthein , this paper).
- AMS <sup>14</sup>C analogue stratigraphy.

Age/depth correlation :

Orig. depth	<sup>14</sup> C age (lab. no.)	Calendar years	Sed.rate	Original interval/material/
[cm]	[ky BP]	[ka]	[cm/ky]	δ <sup>18</sup> O stratigraphy
29	14.8	18.3	ca. 1.5	AMS <sup>14</sup> C analogue

Remarks:

.

Original references:

- CLIMAP Project Members (1981): Seasonal reconstruction of the earth's surface at the Last Glacial Maximum.- Geol. Soc. Amer., Map and Chart Series #36.
- CLIMAP Project Members (1994): CLIMAP 18K Database. IGBP PAGES/World Data Center-A for Paleoclimatology Data Contribution Series # 94-001. NOAA/NGDC Paleoclimatology Program, Boulder CO, USA.

LGM time slice: (base conjectural)

- GLAMAP: 29-59 cm orig. depth
- EPILOG: 35.5-68 cm orig. depth

LGM foraminifera counts: Pflaumann (UP)

- GLAMAP: 35, 45, 54, 58 cm orig. depth
- EPILOG: 35, 45, 54, 58 cm orig. depth

References for faunal analysis:

- Pflaumann et al., Paleoceanography, in prep.

# V 17-165

