










FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	.03	.6
1000- 500	0-1	.6	.05	1
500- 250	1-2	1.02	.51	10.2
250- 125	2-3	1.15	.18	3.5
125- 63	3-4	1.81	.11	2.1
63- 32	4-5	2		
32- 16	5-6	6.3		
16- 8	6-7	8.7		
8- 4	7-8	12.2		
4- 2	8-9	10.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.62	.03	.3
1000- 500	0-1	.67	.02	.2
500- 250	1-2	3.77	3.41	33.1
250- 125	2-3	3.09	1.85	18
125- 63	3-4	2.16	.66	6.4
63- 32	4-5	3.9		
32- 16	5-6	9		
16- 8	6-7	7.9		
8- 4	7-8	9.8		
4- 2	8-9	8.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.27	0	0
1000- 500	0-1	.42	.02	.4
500- 250	1-2	.98	.77	15.3
250- 125	2-3	1.58	.66	13.2
125- 63	3-4	1.76	.22	4.4
63- 32	4-5	4.6		
32- 16	5-6	11.2		
16- 8	6-7	8.3		
8- 4	7-8	9.1		
4- 2	8-9	8.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.59	.01	.1
1000- 500	0-1	.7	.02	.2
500- 250	1-2	2.54	2.12	18.1
250- 125	2-3	3.24	.94	8
125- 63	3-4	4.63	.16	1.4
63- 32	4-5	7.4		
32- 16	5-6	14.7		
16- 8	6-7	9.8		
8- 4	7-8	9.3		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.61	.02	.1
1000- 500	0-1	1.03	.02	.1
500- 250	1-2	2.09	1.31	7.3
250- 125	2-3	5.08	1.39	7.7
125- 63	3-4	9.2	.4	2.2
63- 32	4-5	8.8		
32- 16	5-6	13.7		
16- 8	6-7	10.8		
8- 4	7-8	8.8		
4- 2	8-9	6.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.41	.01	.1
1000- 500	0-1	.46	.01	.1
500- 250	1-2	.73	.31	4.6
250- 125	2-3	1.75	.2	2.9
125- 63	3-4	3.44	.14	2
63- 32	4-5	4.8		
32- 16	5-6	10.5		
16- 8	6-7	9.1		
8- 4	7-8	13.9		
4- 2	8-9	9.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.27	0	0
1000- 500	0-1	.32	0	0
500- 250	1-2	.48	.14	4.5
250- 125	2-3	.75	.05	1.7
125- 63	3-4	1.18	.03	1
63- 32	4-5	2		
32- 16	5-6	7.3		
16- 8	6-7	9.4		
8- 4	7-8	11.4		
4- 2	8-9	10.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.2	0	0
1000- 500	0-1	.38	0	0
500- 250	1-2	.59	.09	3.4
250- 125	2-3	.69	.02	.6
125- 63	3-4	.74	.01	.3
63- 32	4-5	1.2		
32- 16	5-6	6.2		
16- 8	6-7	9.3		
8- 4	7-8	11.2		
4- 2	8-9	10.8		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.33	0	0
1000- 500	0-1	.38	0	.1
500- 250	1-2	.54	.03	.9
250- 125	2-3	.65	0	.1
125- 63	3-4	.91	.01	.3
63- 32	4-5	3.1		
32- 16	5-6	7.1		
16- 8	6-7	8.3		
8- 4	7-8	9.8		
4- 2	8-9	11		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.43	0	0
1000- 500	0-1	.73	.01	.2
500- 250	1-2	1.1	.06	1.4
250- 125	2-3	1.25	.01	.2
125- 63	3-4	1.09	0	.1
63- 32	4-5	1.9		
32- 16	5-6	7.4		
16- 8	6-7	7.8		
8- 4	7-8	10		
4- 2	8-9	10		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.17	0	0
1000- 500	0-1	.3	0	0
500- 250	1-2	.41	.02	.8
250- 125	2-3	.46	.01	.3
125- 63	3-4	.55	0	.2
63- 32	4-5	2.9		
32- 16	5-6	9.7		
16- 8	6-7	9.7		
8- 4	7-8	10.1		
4- 2	8-9	8.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.15	0	0
500- 250	1-2	.29	.13	5.6
250- 125	2-3	.63	.04	1.6
125- 63	3-4	1.11	.04	1.6
63- 32	4-5	2		
32- 16	5-6	8.5		
16- 8	6-7	9.7		
8- 4	7-8	10.5		
4- 2	8-9	8.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.47	0	0
1000- 500	0-1	.8	0	0
500- 250	1-2	3.06	2.51	14.5
250- 125	2-3	6.66	1.28	7.4
125- 63	3-4	6.33	.52	3
63- 32	4-5	5.3		
32- 16	5-6	8		
16- 8	6-7	7.6		
8- 4	7-8	8.4		
4- 2	8-9	6.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.48	0	0
1000- 500	0-1	.78	0	0
500- 250	1-2	7.59	6.91	21.4
250- 125	2-3	12.95	2.39	7.4
125- 63	3-4	10.53	.39	1.2
63- 32	4-5	6.9		
32- 16	5-6	7.6		
16- 8	6-7	6.2		
8- 4	7-8	6.6		
4- 2	8-9	5.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.46	0	0
1000- 500	0-1	.5	0	0
500- 250	1-2	6.5	5.91	17.9
250- 125	2-3	12.44	2.81	8.5
125- 63	3-4	13.07	.63	1.9
63- 32	4-5	10.5		
32- 16	5-6	10.9		
16- 8	6-7	6.8		
8- 4	7-8	5.6		
4- 2	8-9	4.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.24	.01	.1
500- 250	1-2	1.79	1.62	19.3
250- 125	2-3	2.6	.64	7.6
125- 63	3-4	3.65	.25	3
63- 32	4-5	5.8		
32- 16	5-6	14.6		
16- 8	6-7	11.2		
8- 4	7-8	9.3		
4- 2	8-9	6.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	.94	.06	.2
500- 250	1-2	7.7	6.94	23.6
250- 125	2-3	9.88	2.44	8.3
125- 63	3-4	10.44	.44	1.5
63- 32	4-5	3.3		
32- 16	5-6	5.2		
16- 8	6-7	7.2		
8- 4	7-8	7.9		
4- 2	8-9	7.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.71	.02	.1
1000- 500	0-1	1.44	.02	.1
500- 250	1-2	9.05	7.84	38.6
250- 125	2-3	5.1	1.95	9.6
125- 63	3-4	4	.35	1.7
63- 32	4-5	2.6		
32- 16	5-6	5.2		
16- 8	6-7	6.5		
8- 4	7-8	8.4		
4- 2	8-9	8.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.03	.04	.2
1000- 500	0-1	1.58	.09	.4
500- 250	1-2	9.24	8.52	39.8
250- 125	2-3	5.14	2.33	10.9
125- 63	3-4	4.43	.43	2
63- 32	4-5	3.2		
32- 16	5-6	6		
16- 8	6-7	7.1		
8- 4	7-8	9.2		
4- 2	8-9	8.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.69	.03	.2
1000- 500	0-1	1.06	.05	.3
500- 250	1-2	8.03	7.34	45.6
250- 125	2-3	3.65	2.09	13
125- 63	3-4	2.66	.27	1.7
63- 32	4-5	3.1		
32- 16	5-6	5.6		
16- 8	6-7	7		
8- 4	7-8	9.4		
4- 2	8-9	9.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.07	0	0
1000- 500	0-1	1.76	.04	.2
500- 250	1-2	8.06	6.99	37.4
250- 125	2-3	4.75	2.43	13
125- 63	3-4	3.07	.39	2.1
63- 32	4-5	3.1		
32- 16	5-6	5.8		
16- 8	6-7	6.8		
8- 4	7-8	9.2		
4- 2	8-9	8.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.12	0	0
1000- 500	0-1	1.54	.04	.3
500- 250	1-2	3.7	2.94	21.6
250- 125	2-3	3.29	1.28	9.4
125- 63	3-4	3.96	.33	2.4
63- 32	4-5	6		
32- 16	5-6	15.6		
16- 8	6-7	11.1		
8- 4	7-8	10.1		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.61	0	0
1000- 500	0-1	2.37	.01	.1
500- 250	1-2	2.95	.64	4.4
250- 125	2-3	3.1	.25	1.7
125- 63	3-4	4.58	.15	1
63- 32	4-5	3.3		
32- 16	5-6	7		
16- 8	6-7	8.5		
8- 4	7-8	9.6		
4- 2	8-9	8.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.35	.01	.2
1000- 500	0-1	.76	0	0
500- 250	1-2	1.25	.13	2.4
250- 125	2-3	1.47	.03	.5
125- 63	3-4	1.77	.02	.3
63- 32	4-5	4.1		
32- 16	5-6	8.2		
16- 8	6-7	9.1		
8- 4	7-8	9.9		
4- 2	8-9	9.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.29	.01	.1
1000- 500	0-1	.9	.01	.1
500- 250	1-2	1.6	.64	6.2
250- 125	2-3	2.4	.5	4.8
125- 63	3-4	5.2	.52	5
63- 32	4-5	10.4		
32- 16	5-6	14		
16- 8	6-7	10.4		
8- 4	7-8	8.3		
4- 2	8-9	7.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.95	0	0
1000- 500	0-1	1.2	.01	.1
500- 250	1-2	1.66	.34	4.4
250- 125	2-3	1.66	.1	1.3
125- 63	3-4	2.23	.06	.8
63- 32	4-5	3.6		
32- 16	5-6	11.3		
16- 8	6-7	8.6		
8- 4	7-8	9.9		
4- 2	8-9	9.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.33	0	0
1000- 500	0-1	.5	0	0
500- 250	1-2	1.16	.66	11.8
250- 125	2-3	1.63	.7	12.5
125- 63	3-4	1.97	.32	5.7
63- 32	4-5	5.6		
32- 16	5-6	16.7		
16- 8	6-7	12.3		
8- 4	7-8	9.5		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.42	.02	.2
1000- 500	0-1	.83	0	0
500- 250	1-2	1.99	1.41	18.5
250- 125	2-3	2.14	.9	11.9
125- 63	3-4	2.23	.48	6.3
63- 32	4-5	4		
32- 16	5-6	11.5		
16- 8	6-7	9.8		
8- 4	7-8	8.4		
4- 2	8-9	8.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.84	0	0
1000- 500	0-1	1.17	0	0
500- 250	1-2	1.89	.89	7.1
250- 125	2-3	3.05	.74	5.9
125- 63	3-4	5.55	.1	.8
63- 32	4-5	8.2		
32- 16	5-6	17		
16- 8	6-7	12.1		
8- 4	7-8	9.3		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.52	0	0
1000- 500	0-1	.84	0	0
500- 250	1-2	1.33	.8	7.7
250- 125	2-3	2.16	.36	3.5
125- 63	3-4	5.54	.29	2.8
63- 32	4-5	9		
32- 16	5-6	15.9		
16- 8	6-7	10.6		
8- 4	7-8	9.6		
4- 2	8-9	6.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.45	0	0
1000- 500	0-1	.87	0	0
500- 250	1-2	1.58	.86	9
250- 125	2-3	2.25	.26	2.7
125- 63	3-4	4.35	.18	1.9
63- 32	4-5	7.5		
32- 16	5-6	13.2		
16- 8	6-7	9.9		
8- 4	7-8	8.9		
4- 2	8-9	7.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.56	0	0
1000- 500	0-1	.51	0	0
500- 250	1-2	.74	.06	1.7
250- 125	2-3	.76	.02	.5
125- 63	3-4	.82	0	.1
63- 32	4-5	1.9		
32- 16	5-6	7.5		
16- 8	6-7	8.2		
8- 4	7-8	10.1		
4- 2	8-9	8.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.59	0	0
1000- 500	0-1	1.19	0	0
500- 250	1-2	1.7	.04	.6
250- 125	2-3	1.7	.01	.1
125- 63	3-4	1.43	0	0
63- 32	4-5	1.5		
32- 16	5-6	8.6		
16- 8	6-7	10.2		
8- 4	7-8	9.4		
4- 2	8-9	7.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.73	0	0
1000- 500	0-1	.94	.01	.1
500- 250	1-2	1.18	.01	.1
250- 125	2-3	1.39	.01	.1
125- 63	3-4	1.76	0	0
63- 32	4-5	2.9		
32- 16	5-6	10.6		
16- 8	6-7	9		
8- 4	7-8	9.8		
4- 2	8-9	8.2		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.43	.02	.2
1000- 500	0-1	.97	0	0
500- 250	1-2	1.39	.08	.9
250- 125	2-3	2.05	.01	.1
125- 63	3-4	3.96	.04	.4
63- 32	4-5	7.2		
32- 16	5-6	14.9		
16- 8	6-7	9.9		
8- 4	7-8	8.1		
4- 2	8-9	5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.88	0	0
1000- 500	0-1	1.69	0	0
500- 250	1-2	2.56	.11	.8
250- 125	2-3	3.43	.1	.7
125- 63	3-4	5.43	.07	.5
63- 32	4-5	6.8		
32- 16	5-6	13.9		
16- 8	6-7	9.3		
8- 4	7-8	7.2		
4- 2	8-9	5.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA.
2000-1000	(-1)-0	.5	.01	.1
1000- 500	0-1	.86	0	0
500- 250	1-2	1.33	.05	.5
250- 125	2-3	2.24	.05	.5
125- 63	3-4	4.26	.07	.8
63- 32	4-5	9.2		
32- 16	5-6	19		
16- 8	6-7	10.3		
8- 4	7-8	7.7		
4- 2	8-9	5.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.6	0	0
1000- 500	0-1	.96	0	0
500- 250	1-2	1.45	.05	.5
250- 125	2-3	2.57	.03	.3
125- 63	3-4	5.22	.04	.4
63- 32	4-5	11		
32- 16	5-6	19.8		
16- 8	6-7	11		
8- 4	7-8	8.3		
4- 2	8-9	5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.4	.01	.1
1000- 500	0-1	.84	0	0
500- 250	1-2	1.34	.09	1
250- 125	2-3	2.17	.03	.3
125- 63	3-4	3.85	.04	.5
63- 32	4-5	7.8		
32- 16	5-6	13.7		
16- 8	6-7	9.6		
8- 4	7-8	8.2		
4- 2	8-9	6.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.3	0	0
1000- 500	0-1	.43	0	0
500- 250	1-2	.73	.05	1.1
250- 125	2-3	1.08	0	.1
125- 63	3-4	2.05	.01	.2
63- 32	4-5	7.1		
32- 16	5-6	14.2		
16- 8	6-7	9.5		
8- 4	7-8	10		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.35	.01	.2
1000- 500	0-1	.43	.01	.1
500- 250	1-2	.72	.03	.6
250- 125	2-3	1.14	.01	.1
125- 63	3-4	3.05	.01	.2
63- 32	4-5	6.9		
32- 16	5-6	15.3		
16- 8	6-7	10.9		
8- 4	7-8	8.9		
4- 2	8-9	7.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.05	0	0
1000- 500	0-1	.11	0	0
500- 250	1-2	.22	.01	.3
250- 125	2-3	.58	.01	.2
125- 63	3-4	3.56	0	.1
63- 32	4-5	10.9		
32- 16	5-6	20.6		
16- 8	6-7	12.6		
8- 4	7-8	8		
4- 2	8-9	5.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.21	0	0
1000- 500	0-1	.34	0	0
500- 250	1-2	.66	.02	.2
250- 125	2-3	1.43	0	0
125- 63	3-4	5.86	.02	.2
63- 32	4-5	14.8		
32- 16	5-6	19.2		
16- 8	6-7	10.4		
8- 4	7-8	6.6		
4- 2	8-9	3.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.34	0	0
1000- 500	0-1	1.34	.02	.1
500- 250	1-2	2.39	.27	1.7
250- 125	2-3	4.52	1.16	7.3
125- 63	3-4	6.34	.65	4.1
63- 32	4-5	5.4		
32- 16	5-6	10.9		
16- 8	6-7	8.6		
8- 4	7-8	7		
4- 2	8-9	6.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.97	.01	.1
1000- 500	0-1	1.33	.02	.2
500- 250	1-2	1.88	.14	1.2
250- 125	2-3	3.02	.29	2.5
125- 63	3-4	4.41	.26	2.2
63- 32	4-5	4.9		
32- 16	5-6	13.8		
16- 8	6-7	10.2		
8- 4	7-8	8.9		
4- 2	8-9	6.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.78	0	0
1000- 500	0-1	.88	0	0
500- 250	1-2	1.34	.01	.2
250- 125	2-3	1.75	.01	.1
125- 63	3-4	2.25	.01	.2
63- 32	4-5	2.8		
32- 16	5-6	8.4		
16- 8	6-7	10.5		
8- 4	7-8	10.1		
4- 2	8-9	6.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.64	0	0
1000- 500	0-1	1.03	0	0
500- 250	1-2	1.63	.01	.1
250- 125	2-3	2.17	.01	.1
125- 63	3-4	2.63	.01	.1
63- 32	4-5	3.5		
32- 16	5-6	8.6		
16- 8	6-7	9.4		
8- 4	7-8	9		
4- 2	8-9	8.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.22	.01	.1
1000- 500	0-1	1.04	0	0
500- 250	1-2	1.64	.01	.1
250- 125	2-3	2.21	.03	.3
125- 63	3-4	3.29	.01	.1
63- 32	4-5	4.6		
32- 16	5-6	13.9		
16- 8	6-7	12		
8- 4	7-8	8.8		
4- 2	8-9	6.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.26	0	0
1000- 500	0-1	.51	0	0
500- 250	1-2	.87	.01	.1
250- 125	2-3	1.31	.01	.1
125- 63	3-4	2.16	.01	.1
63- 32	4-5	5.2		
32- 16	5-6	15.5		
16- 8	6-7	12.9		
8- 4	7-8	9.8		
4- 2	8-9	7.2		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.3	.02	.5
1000- 500	0-1	.52	0	0
500- 250	1-2	.82	0	0
250- 125	2-3	1.08	0	0
125- 63	3-4	1.78	0	0
63- 32	4-5	5.2		
32- 16	5-6	9		
16- 8	6-7	10.5		
8- 4	7-8	11.4		
4- 2	8-9	10		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.21	0	0
1000- 500	0-1	.27	0	0
500- 250	1-2	.47	0	0
250- 125	2-3	.6	0	0
125- 63	3-4	1.84	0	0
63- 32	4-5	4.4		
32- 16	5-6	13.7		
16- 8	6-7	10.8		
8- 4	7-8	10.8		
4- 2	8-9	8.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.28	0	0
500- 250	1-2	.5	0	0
250- 125	2-3	.67	.01	.2
125- 63	3-4	1.94	.01	.2
63- 32	4-5	4.5		
32- 16	5-6	14		
16- 8	6-7	12		
8- 4	7-8	10		
4- 2	8-9	8		






FRAKTION UM	PHI	%	BIO GES.	BID SA
2000-1000	(-1)-0	.07	0	0
1000- 500	0-1	.17	0	0
500- 250	1-2	.25	0	0
250- 125	2-3	.42	0	0
125- 63	3-4	1.69	0	0
63- 32	4-5	3.8		
32- 16	5-6	11.8		
16- 8	6-7	11.8		
8- 4	7-8	10.8		
4- 2	8-9	8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.22	0	0
1000- 500	0-1	.33	0	0
500- 250	1-2	.55	0	0
250- 125	2-3	.63	0	0
125- 63	3-4	1.36	0	.1
63- 32	4-5	2.8		
32- 16	5-6	11.4		
16- 8	6-7	12.3		
8- 4	7-8	10.9		
4- 2	8-9	9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.27	0	0
1000- 500	0-1	.51	0	0
500- 250	1-2	.74	0	0
250- 125	2-3	.79	0	0
125- 63	3-4	1.6	0	0
63- 32	4-5	4.8		
32- 16	5-6	12.9		
16- 8	6-7	12		
8- 4	7-8	9.6		
4- 2	8-9	7.7		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.15	0	0
1000- 500	0-1	.36	0	0
500- 250	1-2	.48	0	0
250- 125	2-3	.44	0	0
125- 63	3-4	1.27	0	0
63- 32	4-5	6.5		
32- 16	5-6	16.3		
16- 8	6-7	13		
8- 4	7-8	10.3		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.15	0	0
1000- 500	0-1	.46	0	0
500- 250	1-2	.72	0	0
250- 125	2-3	.92	0	.1
125- 63	3-4	2.16	0	0
63- 32	4-5	4.4		
32- 16	5-6	12.6		
16- 8	6-7	12.1		
8- 4	7-8	11.1		
4- 2	8-9	8.2		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.26	0	0
1000- 500	0-1	.38	0	0
500- 250	1-2	.53	0	0
250- 125	2-3	.67	0	0
125- 63	3-4	.96	0	0
63- 32	4-5	4		
32- 16	5-6	14.7		
16- 8	6-7	12.1		
8- 4	7-8	10.6		
4- 2	8-9	8.6		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	.38	0	0
500- 250	1-2	.47	0	0
250- 125	2-3	.49	0	0
125- 63	3-4	.73	0	0
63- 32	4-5	2.8		
32- 16	5-6	12		
16- 8	6-7	12		
8- 4	7-8	10.6		
4- 2	8-9	8.8		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.45	0	0
1000- 500	0-1	1.58	0	0
500- 250	1-2	1.89	0	0
250- 125	2-3	1.98	0	0
125- 63	3-4	1.89	0	0
63- 32	4-5	1.7		
32- 16	5-6	10.6		
16- 8	6-7	9.8		
8- 4	7-8	11.1		
4- 2	8-9	8.5		



KIES: .32 %




SAND: 3.6 %

SILT: 45.5 %




TON: 50.6 %

1005-1/520




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.69	0	0
1000- 500	0-1	.59	0	0
500- 250	1-2	.71	0	0
250- 125	2-3	.7	0	0
125- 63	3-4	.91	0	0
63- 32	4-5	1.4		
32- 16	5-6	11.5		
16- 8	6-7	12.9		
8- 4	7-8	11.5		
4- 2	8-9	8.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.31	0	0
1000- 500	0-1	.31	0	0
500- 250	1-2	.34	0	0
250- 125	2-3	3.59	0	0
125- 63	3-4	26.16	0	0
63- 32	4-5	16.7		
32- 16	5-6	16.7		
16- 8	6-7	6.2		
8- 4	7-8	4.8		
4- 2	8-9	3.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.17	0	0
500- 250	1-2	.33	.24	3.4
250- 125	2-3	.91	.21	2.9
125- 63	3-4	5.67	0	0
63- 32	4-5	9		
32- 16	5-6	22		
16- 8	6-7	11.3		
8- 4	7-8	8.5		
4- 2	8-9	5.7		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.3	0	0
1000- 500	0-1	.45	0	0
500- 250	1-2	.59	.16	3.7
250- 125	2-3	.53	.14	3.1
125- 63	3-4	2.52	.03	.6
63- 32	4-5	4.8		
32- 16	5-6	14.5		
16- 8	6-7	11.6		
8- 4	7-8	9.7		
4- 2	8-9	6.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.17	0	0
1000- 500	0-1	.38	0	0
500- 250	1-2	.79	.5	2.1
250- 125	2-3	1.1	.29	1.2
125- 63	3-4	21.46	.1	.4
63- 32	4-5	19.9		
32- 16	5-6	14.3		
16- 8	6-7	6.6		
8- 4	7-8	6.1		
4- 2	8-9	4.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.64	0	0
1000- 500	0-1	1.01	0	0
500- 250	1-2	6.57	5.96	40.8
250- 125	2-3	4.22	3.18	21.8
125- 63	3-4	2.16	.39	2.7
63- 32	4-5	2.4		
32- 16	5-6	9.1		
16- 8	6-7	9.5		
8- 4	7-8	9.5		
4- 2	8-9	8.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.29	.04	.2
1000- 500	0-1	1.61	.02	.1
500- 250	1-2	9	8.26	41.1
250- 125	2-3	5.69	3.88	19.3
125- 63	3-4	2.51	.32	1.6
63- 32	4-5	2.3		
32- 16	5-6	6.9		
16- 8	6-7	7.5		
8- 4	7-8	7.8		
4- 2	8-9	7.2		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	1.16	.02	.1
500- 250	1-2	7.29	6.73	39.6
250- 125	2-3	5.32	3.35	19.7
125- 63	3-4	2.79	.24	1.4
63- 32	4-5	2.8		
32- 16	5-6	6.9		
16- 8	6-7	7.6		
8- 4	7-8	8.6		
4- 2	8-9	7.9		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.71	0	0
1000- 500	0-1	1.11	.02	.1
500- 250	1-2	7.92	7.34	43.2
250- 125	2-3	4.61	2.98	17.5
125- 63	3-4	2.65	.31	1.8
63- 32	4-5	2.3		
32- 16	5-6	6.7		
16- 8	6-7	8		
8- 4	7-8	9		
4- 2	8-9	7.4		



1005.-1

sand



90 80 70 60 50 40 30 20 10