



CTD Data RV Heincke HE520

Data Processing Report

Contents

1	Introduction	1
2	Workflow	1
3	Cruise details	3
4	Sensor Layout	3
5	Processing	3
6	Results	5

Contact:

Gerd Rohardt

Alfred-Wegener-Institute

Am Handelshafen 12, D-27570 Bremerhaven, GERMANY

Mail: info@awi.de

Processing Agency:

FIELAX GmbH

Schleusenstr. 14, D-27568 Bremerhaven, GERMANY

Mail: info@fielax.de

Ref.: CTD-HE520-report.pdf	Vers.: 1	Date: 2018/11/19	Status: final	١
----------------------------	----------	------------------	---------------	---



1 Introduction

This report describes the processing of CTD raw data acquired by Seabird SBE 911plus CTD on board RV Heincke during expedition HE520.

2 Workflow

The different steps of processing and validation are visualized in Figure 1. The CTD raw data are delivered from Andreas Wisotzki (AWI). The station book of the RV Heincke cruise is extracted from the DAVIS SHIP data base (https://dship.awi.de). The first CTD station and cast is processed manually in SBE Data Processing to configure the *.psa Seabird routines Data Conversion, Wild Edit, Bottle Summary, Split, Translate, Cell Thermal Mass, Loop Edit and Bin Average. The Seabird routines are then run in a batch job CTDjob in ManageCTD to process the complete CTD data set. The downcast of each CTD station/cast is used for further processing. In CTDjob the start record and the lowest altimeter point of the downcast is selected. From the downcast data figures to compare both oxygen sensors are generated. The oxygen sensor choice and the offset between the two oxygen sensors is documented in the processing summary table. With the *Utilities* → *Dship* Ebook function of ManageCTD the DAVIS SHIP station book extraction is used for getting the header information of all CTD stations/casts of the cruise. ManageCTD *Utilities* \rightarrow *Find Profile* function compares station times of the header with the entries in the station book to find out the correct naming of the stations and casts. In CTDheader in ManageCTD the header information of each CTD station/cast is displayed, controlled and corrected if necessary. CTDdespike in ManageCTD is used for a visual check of the data and to erase/interpolate spikes in the data if necessary. Additionally, a sensor pair (Temp1/Sal1 or Temp2/Sal2) is chosen for each station/cast of the RV Heincke cruise in CTDdespike.

ManageCTD *Utilities* \rightarrow *CheckDoubleSensors* controls the quality of temperature and conductivity sensors. For this purpose outliers of too high sensor pair differences could be removed. The data is then converted to spreadsheet format with dsp2odv for visualization of the data in Ocean Data View (ODV). The second visual inspection of the CTD data allows a comparison with data from other CTD casts from close-by stations to verify the oxygen sensor data. Therefore, potential reference cruise data is downloaded from PANGAEA (http://www.PANGAEA.de). The reference data is converted to *.mat format. In the ManageCTD Final Processing the CTD data is displayed together with the reference data. Bad data points, sensors or casts are interpolated or erased from the data set and filters are applied if necessary. The processed CTD data are written to text files and imported to PANGAEA (http://www.PANGAEA.de) for publication.






Figure 1: CTD data Processing Workflow



3 Cruise details

Vessel name RV Heincke
Cruise name HE520

Cruise start 19.10.2018 Bremerhaven
Cruise end 22.10.2018 Bremerhaven

Cruise duration 4 days
No. of CTD casts in station book 14

4 Sensor Layout

This chapter describes the CTD sensors mounted during this cruise: SBE 911plus CTD (SN: 1015), SBE Instrument Configuration Version 7.23.0.1.

ID	Sensor Name	Serial No.	Calibration Date
55	TemperatureSensor	5354	11-Nov-17
3	ConductivitySensor	2470	08-Nov-17
45	PressureSensor	1015	26-Jan-17
55	TemperatureSensor	5375	11-Nov-17
3	ConductivitySensor	3573	08-Nov-17
0	AltimeterSensor	46466	23-Mar-09
71	WET_LabsCStar	1348DR	28-Jan-2016
20	FluoroWetlabECO_AFL_FL_Sensor	1365	15-Jan-2016
38	OxygenSensor	2292	02-Dec-17
38	OxygenSensor	3654	21-Dec-17

5 Processing

Details of processing procedures and processing parameters are described in *CTD Processing Log-book of RV Heincke* (hdl: 10013/epic.47427).

Density Inversions and Manual Validation

Obvious outliers were removed manually. For the visual check density inversions > 0.005 kg/m^3 and > 0.01 kg/m^3 were flagged differently for display but not removed automatically. Decisions whether the flagged values were manually removed or not are based on the description in *CTD Processing Logbook of RV Heincke* (hdl: 10013/epic.47427).



Sensor Differences




Figure 2: Data accuracy of sensor pairs HE520



6 Results

A complete processing overview for each sensor at each station is summarized in the table in the Appendix (Figure 3).

Double Sensor Check

In Figure 2, the absolute residuals between the sensorpairs are shown for the measured parameters *Temperature* and *Conductivity*, the derived parameter *Salinity* and the measured parameter *Oxygen*. Measurements in shallow water depths < 15 m (blue crosses) and gradients between two datapoints exceeding a defined threshold (red crosses) were omitted for accuracy calculation.

Parameter	Accuracy	Measurements	Remaining
		removed	measurements
	given by manufacturer	Surface 0-15m	within accuracy
		+ gradient filter	specifications
Temperature	±0.001 °C	62.81%	82.32%
Conductivity	$\pm 0.003~mS/cm$	62.05%	0.00%
Salinity	$\pm 0.0015~PSU$	60.27%	0.00%
Oxygen	$\pm 2.0~\%~of saturation$	58.08%	80.39%

Comments

- 15 CTD "max depth/on ground" entries in DShip station book
- 14 CTD raw data sets delivered
- 14 CTD casts processed and uploaded
- of these 14 processed CTD casts:
 - 0 oxygen profiles deleted
 - 28 data points interpolated
 - 0 data points erased



Result files

Text File (HE520_phys_oce.tab):

The format is a plain text (tab-delimited values) file.

Column separator	Tabulator "\t"
Column 1	Event label
Column 2	Date/Time of event
Column 3	Latitude of event
Column 4	Longitude of event
Column 5	Elevation of event
Column 6	DEPTH, water
Column 7	Pressure, water
Column 8	Temperature, water
Column 9	Conductivity
Column 10	Salinity
Column 11	Temperature, water, potential
Column 12	Density, sigma-theta (0)
Column 13	Oxygen
Column 14	Oxygen, saturation
Column 15	Attenuation, optical beam transmission
Column 16	Fluorometer
Column 17	Number of observations

Processing Report (CTD-HE520-report.pdf):

This PDF document.



Care	Station	Goar Abhr Date	Time	Position	Position	Depth	File	Sensor	Temp	٥	Sal		Trans	-	Fluor	Оху	5	complete	2 0xy	2 Oxy Sensors	Oxygen	Oxygen reference		ommonte
CTD 20.10.2018 22:51 54° 04.119° N OROZ 20.116° E 9.7 PODOZ 20.1 2 3	HE520_	deal Appl			Longitude	<u>E</u>	HE520_	Н				Н		-	erased		ш	-		Offset	cruise/sss-cc			OHILIERIES
CTD 21.0.2018 23.38 54° 04.021N OROB 90976F 15.3 DODAS 301 2 0 1 1 5 65.4 0.11 HE452/37-1 3.25 0.02 CTD 21.10.2018 00.27 54° 04.005N 00° 59.99° 2.5 DODAS 01 1 1 1 1 5 6 0.11 HE452/37-1 3.25 0.02 CTD 21.10.2018 00.27 54° 05.00° 00° 59.97° 4.36 DOG-301 1	2-1	CTD	20.10.2018 22:51		008° 20.116'	9.7	p002a01	2											3654		4E452/15-5			o btl-files
CTD 110.2018 G0.27 54° 40.005° 007° 59.997° 25 00440 1 1 1 1 1 1 5 654 0.11 HE452/37-1 3.32 0.03 CTD 2110.2018 0.11 54° 0.3931° 0.07* 49.893° 55.2 0.05601 1	3-1	СТБ	20.10.2018 23:38			15.3	p003a01	2											3654		1E452/24-1	2.6		o btl-files
CTD 110.2018 0.1.1 54° 0.3931'N 007* 49.893'E 35.2 pools and	4-1	СТР	21.10.2018 00:27			25	p004a01	1	1		1	1		1		1	2		3654		HE452/37-1	3.32		o btl-files
CTD 110.2018 03.06 64° 09.500°N 64° 09.500°N 007° 49.972°E 43.6 pondaol 1 1 1 1 1 5 3654 0.10 HE452/08-1 0.56 0.03 CTD 21.10.2018 03.08 54° 09.507°N 000° 59.97°E 13 000° 59.97°E 13 000° 59.97°E 13 0.10 HE452/35-1 1.69 0.33 CTD 21.10.2018 03.55 54° 09.504°N 000° 20.517°E 10.6 0009a01 1	5-1	СТР	21.10.2018 01:17			35.2	p005a01	1						1			1		3654		1E452/06-1	6.75		o btl-files
CTD 21.10.2018 03.56 64.09.470° 000°5.93.77° 1.09.003.01 1.09.003	6-1	СТР	21.10.2018 02:09			43.6	p006a01	1	1		1	1		1		1	2		3654		1E452/08-1	0.56		o btl-files
CTD 21.10.2018 [05:44] 54° 09.516"N 008° 10.025"E 15 po08a01 1 1 1 1 1 5 3654 0.12 HE452/15-5 14.36 0.05 CTD 21.10.2018 [05:44] 54" 15.456"N 0008" 20.517"E 10.6 po09a01 1 1 1 1 3654 0.10 HE452/15-5 14.36 0.0 CTD 21.10.2018 [05:44] 54" 15.465"N 0008" 20.527"E 9.1 po11ao1 1 1 1 3654 0.11 HE452/34-1 21.76 0.0 CTD 21.10.2018 [05:44] 54" 15.465"N 0008" 20.527"E 1.7 po11ao1 1	7-1	CTD	21.10.2018 03:08			23.9	p007a01	1				4		2			9		3654		HE452/35-1	1.69	~0.3 n	o btl-files
CTD 110.2018 64.54 64.05 64.N 100.0040 100.0040 1 0.0 <td>8-1</td> <td>СТБ</td> <td>21.10.2018 03:59</td> <td></td> <td></td> <td>15</td> <td>p008a01</td> <td>2</td> <td>1</td> <td></td> <td>1</td> <td>1</td> <td></td> <td>1</td> <td></td> <td>1</td> <td>2</td> <td></td> <td>3654</td> <td>0.12</td> <td></td> <td></td> <td>c 2</td> <td>o btl-files, no oxygen eference</td>	8-1	СТБ	21.10.2018 03:59			15	p008a01	2	1		1	1		1		1	2		3654	0.12			c 2	o btl-files, no oxygen eference
CTD 110.2018 65.44 64*15.4587.N 100.2018 65.44 64*15.4587.N 100.2018 65.45 64*15.4587.N 100.2018 65.45 64*15.4587.N 100.2018 65.45 64*15.4587.N 100.2018	9-1	CTD	21.10.2018 04:51		008° 20.517' E	10.6	p009a01	1											3654		HE452/15-5	14.36		o btl-files
21.10.2018 66.43 54°15.467°N 008°10.134°E 14.4 pol1adol 1 4 4 6 01.10.2018 0 1 6 6 6 6 6 6 6 6 6 6 7 1	10-1	СТБ	21.10.2018 05:44			9.1	p010a01	2											3654		1E452/34-1	21.76		o btl-files
CTD 11.0.2018 0.74 64.1.5.487.N 008° 00.054° E 17.7 pol12a01 1	11-1	CTD	21.10.2018 06:43			14.4	p011a01	1						1			1		3654		1E452/34-1	11.99		o btl-files
CTD 2.10.2018 0.94 64*15.587*N 007*50.204*E 2.38 p.013=0.1 1 1 1 1 1 1 1 1 1 1 2 3654 0.12 1452/34-1 11.99 7.01 CTD 21.10.2018 13:39 54*0.3589*N 007*59.392*E 17.1 p.018=0 2 0	12-1	CTD	21.10.2018 07:42			17.7	p012a01	1									0		3654		HE452/34-1		~0.05 n	o btl-files
CTD 21.10.2018 13.39 54*03.689*N 007*59.942*E 17.1 p018a01 2 4 4 4 8 8 4 8 4 8 4 8 4 8 9 4 8 9 4 8 8 4 8 8 4 8 8 4 8 8 8 4 8<	13-1	CTD	21.10.2018 09:44			23.8	p013a01	1	1		1	1		1		1	2		3654		1E452/34-1	11.99		o btl-files
CTD 21.10.2018 3:39 54°03.689'N 007°59.496'E 26.4 p018a01 2 4 4 8 8 4 28 3 5 4 0.10 HE452/37-1 2.64 ~0.20 HE452/37-1 2.64 ~0.2	14-1	CTD	21.10.2018 10:45			17.1	p014a01	2											3654		HE452/34-1		~0.05 n	o btl-files
4 8 8 4	18-1	CTD	21.10.2018 13:39		007° 59.496' E	-	p018a01	2											3654	0.10	HE452/37-1			o btl-files
									4		4	8		8		4	28							

Figure 3: CTD data Processing Summary HE520 Page 7 of 8






Figure 4: ODV Screenshot of HE520 CTD data Page 8 of 8