## **CORRECTION**



## Correction to: Geochemical contamination in the Densu Estuary, Gulf of Guinea, Ghana

Published online: 22 August 2020

© Springer-Verlag GmbH Germany, part of Springer Nature 2020

## Correction to: Environmental Science and Pollution Research https://doi.org/10.1007/s11356-020-10035-4

The correct equations are presented below:

The pollution load index (PLI) is determined by the formula (Tomlinson et al. 1980):

$$PLI = n\sqrt{(CF_1 \times CF_2 \times CF_3 ..... \times CF_n)}$$
.

Where.

The enrichment factor is calculated using the formula (Ergin et al. 1991):

$$EF = (X/Fe)_{sediment}/(X/Fe)_{Background reference}$$

Where X/Fe is the ratio of the concentrations of metal X (element) to Fe (normalized metal or element).

Contamination factor (CF) is a ratio of the concentration of a metal in sediment to natural abundance (pre-industrial reference value for the same metal):

$$CF = C_{metal}/C_{background}$$
 reference

CF =  $C_{metal}/C_{background\ reference}$ 

CF = contamination factor, n = number

of metals

C<sub>metal</sub> = metal concentration in the sediments

C<sub>background reference</sub> = background value of each metal

PLI = Pollution Load Index

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at https://doi.org/ 10.1007/s11356-020-10035-4

☐ Lailah Gifty Akita lailah.akita@gmail.com

- Department of Marine and Fisheries Sciences, University of Ghana, P. O. Box LG 99, Legon, Accra, Ghana
- <sup>2</sup> Regional Maritime University, P. O. Box GP 1115, Accra, Ghana
- Alfred Wegner Institute Helmholtz Centre of Polar and Marine Research, Am Alten Hafen 26, 27568 Bremerhaven, Germany

