










FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1	.75	11.1
1000- 500	0-1	.72	.38	5.6
500- 250	1-2	1.1	.74	10.9
250- 125	2-3	2.16	1.58	23.2
125- 63	3-4	1.82	.95	14
63- 32	4-5	4.3		
32- 16	5-6	14.4		
16- 8	6-7	12.2		
8- 4	7-8	9		
4- 2	8-9	9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.58	.16	3
1000- 500	0-1	.85	.12	2.2
500- 250	1-2	1.19	.5	9.2
250- 125	2-3	1.33	.38	7
125- 63	3-4	1.46	.62	11.4
63- 32	4-5	3.8		
32- 16	5-6	12		
16- 8	6-7	11.5		
8- 4	7-8	9.1		
4- 2	8-9	5.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.28	.05	1.7
1000- 500	0-1	.42	.02	.8
500- 250	1-2	.67	.17	5.8
250- 125	2-3	.7	.18	6.3
125- 63	3-4	.84	.24	8.3
63- 32	4-5	3.7		
32- 16	5-6	9.8		
16- 8	6-7	9.8		
8- 4	7-8	9.4		
4- 2	8-9	9.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.19	.03	.8
1000- 500	0-1	.44	.03	.8
500- 250	1-2	1.22	.89	20.8
250- 125	2-3	1.34	.98	22.8
125- 63	3-4	1.11	.56	13.1
63- 32	4-5	1.2		
32- 16	5-6	5.8		
16- 8	6-7	8.1		
8- 4	7-8	9.2		
4- 2	8-9	9.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.56	.04	.5
1000- 500	0-1	.6	.04	.5
500- 250	1-2	3.88	3.56	45.1
250- 125	2-3	1.8	1.2	15.2
125- 63	3-4	1.06	.53	6.7
63- 32	4-5	2.5		
32- 16	5-6	8.5		
16- 8	6-7	8.1		
8- 4	7-8	8.9		
4- 2	8-9	8.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.5	.04	.4
1000- 500	0-1	.65	.07	.6
500- 250	1-2	5.91	5.44	49.9
250- 125	2-3	2.57	2.1	19.3
125- 63	3-4	1.26	.77	7.1
63- 32	4-5	1.2		
32- 16	5-6	7		
16- 8	6-7	9		
8- 4	7-8	9.8		
4- 2	8-9	9.4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.55	.08	.5
1000- 500	0-1	.85	.07	.4
500- 250	1-2	9.84	9.11	54.9
250- 125	2-3	3.74	2.94	17.7
125- 63	3-4	1.63	.66	4
63- 32	4-5	1		
32- 16	5-6	5.1		
16- 8	6-7	6		
8- 4	7-8	8		
4- 2	8-9	8		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.46	.04	.2
1000- 500	0-1	.65	.04	.2
500- 250	1-2	13.78	12.75	64.4
250- 125	2-3	3.72	3.17	16
125- 63	3-4	1.19	.85	4.3
63- 32	4-5	.6		
32- 16	5-6	4.2		
16- 8	6-7	4.7		
8- 4	7-8	7		
4- 2	8-9	8.3		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.7	0	0
1000- 500	0-1	1.26	.05	.2
500- 250	1-2	18.41	17.71	66.1
250- 125	2-3	5.92	4.29	16
125- 63	3-4	.51	.35	1.3
63- 32	4-5	.9		
32- 16	5-6	.9		
16- 8	6-7	1.9		
8- 4	7-8	2.8		
4- 2	8-9	3.6		



KIES: .14 %




SAND: 20.2 %

SILT: 31.6 %




TON: 48 %

1224-1/45




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.58	.02	.1
1000- 500	0-1	.87	.06	.3
500- 250	1-2	11.27	10.65	51.7
250- 125	2-3	5.56	4.51	21.9
125- 63	3-4	2.33	1.79	8.7
63- 32	4-5	1.3		
32- 16	5-6	6.1		
16- 8	6-7	6.5		
8- 4	7-8	8.1		
4- 2	8-9	8.4		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.05	.02	.1
1000- 500	0-1	1.72	.1	.4
500- 250	1-2	12.59	11.61	47.4
250- 125	2-3	6.59	5.1	20.8
125- 63	3-4	2.55	1.42	5.8
63- 32	4-5	2.8		
32- 16	5-6	5.3		
16- 8	6-7	5.3		
8- 4	7-8	7.1		
4- 2	8-9	8		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.04	.06	.4
1000- 500	0-1	1.51	.06	.4
500- 250	1-2	4.03	2.83	20.1
250- 125	2-3	4.16	2.89	20.5
125- 63	3-4	3.34	1.69	12
63- 32	4-5	5.2		
32- 16	5-6	13.9		
16- 8	6-7	10.8		
8- 4	7-8	9.8		
4- 2	8-9	8.8		



5,8

8,7

2,9

2,4




6,2

5,2

4,6

1,4




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	2.42	0	0
1000- 500	0-1	2.8	.02	.1
500- 250	1-2	9.68	8.11	34.5
250- 125	2-3	5.52	3.31	14.1
125- 63	3-4	3.08	.92	3.9
63- 32	4-5	2.7		
32- 16	5-6	9.4		
16- 8	6-7	8.2		
8- 4	7-8	9		
4- 2	8-9	7.8		






5,7

8,7
8,0
7,5
6,1
4,4
2,4
-0,1

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	3.61	.04	.1
1000- 500	0-1	5.94	.04	.1
500- 250	1-2	19.67	17.58	45.3
250- 125	2-3	6.75	4	10.3
125- 63	3-4	2.83	1.09	2.8
63- 32	4-5	1.5		
32- 16	5-6	5.4		
16- 8	6-7	5.2		
8- 4	7-8	6.2		
4- 2	8-9	5.7		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.09	.03	.1
1000- 500	0-1	2.33	.06	.2
500- 250	1-2	15.78	14.28	48.4
250- 125	2-3	6.99	4.72	16
125- 63	3-4	3.27	1.42	4.8
63- 32	4-5	2.4		
32- 16	5-6	7.8		
16- 8	6-7	6.8		
8- 4	7-8	7.8		
4- 2	8-9	7.5		



6,1

8,7

8,1

7,6




6,2

4,7

2,8

0,4




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	.01	.2
1000- 500	0-1	.74	.02	.3
500- 250	1-2	1.95	1.38	23.4
250- 125	2-3	1.59	.64	10.8
125- 63	3-4	1.17	.47	7.9
63- 32	4-5	1.2		
32- 16	5-6	7.1		
16- 8	6-7	8.3		
8- 4	7-8	9.2		
4- 2	8-9	11.6		



7,4

9,8
8,4
8,1
7,7
5,8
5,3
2,1

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.58	.03	.1
1000- 500	0-1	2.12	.09	.3
500- 250	1-2	14.81	13.86	46.5
250- 125	2-3	8.73	6.94	23.3
125- 63	3-4	2.56	1.31	4.4
63- 32	4-5	1.6		
32- 16	5-6	7.4		
16- 8	6-7	5.8		
8- 4	7-8	6.7		
4- 2	8-9	8		



6,4

8,7

8,2

7,8




6,4

5,0




2,7

0,1




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.4	0	0
1000- 500	0-1	.75	.02	.2
500- 250	1-2	3.59	3.15	32.5
250- 125	2-3	3.04	2.2	22.7
125- 63	3-4	1.94	1.09	11.2
63- 32	4-5	2.5		
32- 16	5-6	8		
16- 8	6-7	8.8		
8- 4	7-8	9.3		
4- 2	8-9	10.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.06	.05	.2
1000- 500	0-1	1.62	.02	.1
500- 250	1-2	14.61	13.53	55
250- 125	2-3	4.92	3.59	14.6
125- 63	3-4	2.39	1.13	4.6
63- 32	4-5	2.6		
32- 16	5-6	6.8		
16- 8	6-7	5.2		
8- 4	7-8	6.8		
4- 2	8-9	8.8		





FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.34	0	0
1000- 500	0-1	2.24	.06	.3
500- 250	1-2	7.61	6.25	29.9
250- 125	2-3	5.04	2.78	13.3
125- 63	3-4	4.68	2.11	10.1
63- 32	4-5	5.3		
32- 16	5-6	12.3		
16- 8	6-7	8.8		
8- 4	7-8	7.5		
4- 2	8-9	8.3		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.11	.02	.1
1000- 500	0-1	2.12	.03	.2
500- 250	1-2	4.03	1.62	10.3
250- 125	2-3	4.85	1.29	8.2
125- 63	3-4	3.56	1	6.4
63- 32	4-5	5.2		
32- 16	5-6	12.7		
16- 8	6-7	8.9		
8- 4	7-8	9.4		
4- 2	8-9	8.4		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.67	0	0
1000- 500	0-1	2.84	.04	.2
500- 250	1-2	4.76	2.45	11.9
250- 125	2-3	6.59	2.86	13.9
125- 63	3-4	4.74	1.26	6.1
63- 32	4-5	4.6		
32- 16	5-6	11.4		
16- 8	6-7	8.4		
8- 4	7-8	8		
4- 2	8-9	7.6		






5,4



8,7
 7,8
 7,2
 5,7
 3,9
 2,5
 0,5

FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.48	0	0
1000- 500	0-1	2.54	.07	.3
500- 250	1-2	5.5	3.6	16.3
250- 125	2-3	7.51	4.62	20.9
125- 63	3-4	5.08	2.83	12.8
63- 32	4-5	5.4		
32- 16	5-6	11.7		
16- 8	6-7	8.4		
8- 4	7-8	7.9		
4- 2	8-9	6.7		



5,5

8,6

7,7

7,2




5,8

4,4




2,8

0,5




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.23	.04	.2
1000- 500	0-1	2.13	.1	.5
500- 250	1-2	5.05	3.58	18
250- 125	2-3	6.93	5.11	25.7
125- 63	3-4	4.58	2.61	13.1
63- 32	4-5	5.7		
32- 16	5-6	16.6		
16- 8	6-7	9.5		
8- 4	7-8	8.1		
4- 2	8-9	4.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.5	0	0
1000- 500	0-1	1.07	.05	.4
500- 250	1-2	3.05	2.38	20
250- 125	2-3	4.59	3.43	28.8
125- 63	3-4	2.68	1.13	9.5
63- 32	4-5	2.7		
32- 16	5-6	12.2		
16- 8	6-7	10.8		
8- 4	7-8	9.9		
4- 2	8-9	8.1		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.85	0	0
1000- 500	0-1	1.39	.02	.1
500- 250	1-2	6.98	6.38	38.2
250- 125	2-3	4.81	3.46	20.7
125- 63	3-4	2.67	1.15	6.9
63- 32	4-5	2.3		
32- 16	5-6	13.9		
16- 8	6-7	11.6		
8- 4	7-8	10.2		
4- 2	8-9	7.9		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.52	0	0
1000- 500	0-1	1.88	.02	.1
500- 250	1-2	10.74	9.4	41.4
250- 125	2-3	5.77	4.49	19.8
125- 63	3-4	2.79	.95	4.2
63- 32	4-5	1.4		
32- 16	5-6	7.7		
16- 8	6-7	8.4		
8- 4	7-8	8.8		
4- 2	8-9	7.7		



6,4

8,8

8,1

7,6




6,5

5,2




3,3

0,3




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.97	0	0
1000- 500	0-1	1.56	.03	.1
500- 250	1-2	13.67	11.94	40.6
250- 125	2-3	9.76	7.17	24.4
125- 63	3-4	3.44	1.38	4.7
63- 32	4-5	2.2		
32- 16	5-6	8.5		
16- 8	6-7	6.9		
8- 4	7-8	6.9		
4- 2	8-9	5.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.09	.02	.1
1000- 500	0-1	1.93	.04	.2
500- 250	1-2	5.74	4.03	21.9
250- 125	2-3	5.96	3.72	20.2
125- 63	3-4	3.68	1.75	9.5
63- 32	4-5	4.8		
32- 16	5-6	14.5		
16- 8	6-7	9.7		
8- 4	7-8	7.5		
4- 2	8-9	6.2		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.69	.03	.1
1000- 500	0-1	2.22	.13	.5
500- 250	1-2	5.59	3.55	14.1
250- 125	2-3	8.77	6.3	25
125- 63	3-4	6.9	4.38	17.4
63- 32	4-5	5.3		
32- 16	5-6	12.7		
16- 8	6-7	8.6		
8- 4	7-8	7.8		
4- 2	8-9	5.7		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.7	.02	.1
1000- 500	0-1	1.41	.06	.3
500- 250	1-2	4.98	3.92	18.6
250- 125	2-3	10.02	7.64	36.2
125- 63	3-4	3.99	2.51	11.9
63- 32	4-5	3.9		
32- 16	5-6	10.6		
16- 8	6-7	7.5		
8- 4	7-8	7.9		
4- 2	8-9	8.3		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1	.02	.1
1000- 500	0-1	1.79	.04	.2
500- 250	1-2	4.57	2.99	15.5
250- 125	2-3	7.66	5.58	28.9
125- 63	3-4	4.27	2.26	11.7
63- 32	4-5	3.3		
32- 16	5-6	9.9		
16- 8	6-7	9.5		
8- 4	7-8	9.1		
4- 2	8-9	8.3		






6






8,7
8
7,5
6,3
5
3,6
0,8




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.73	.02	.1
1000- 500	0-1	1.32	.04	.2
500- 250	1-2	4.72	3.48	18.5
250- 125	2-3	7.54	5.41	28.8
125- 63	3-4	4.47	2.61	13.9
63- 32	4-5	4.5		
32- 16	5-6	14.9		
16- 8	6-7	9.5		
8- 4	7-8	9.5		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.6	0	0
1000- 500	0-1	.99	.01	.1
500- 250	1-2	4.65	3.89	27
250- 125	2-3	4.84	3.79	26.3
125- 63	3-4	3.31	1.54	10.7
63- 32	4-5	2.4		
32- 16	5-6	8.2		
16- 8	6-7	7.8		
8- 4	7-8	8.6		
4- 2	8-9	9.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.38	0	0
1000- 500	0-1	.81	.01	.1
500- 250	1-2	4.27	3.63	32.1
250- 125	2-3	4.06	2.9	25.7
125- 63	3-4	1.76	.63	5.6
63- 32	4-5	1.8		
32- 16	5-6	6		
16- 8	6-7	7.1		
8- 4	7-8	9.2		
4- 2	8-9	9.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.18	0	0
1000- 500	0-1	1.59	.07	.2
500- 250	1-2	11.83	10.59	30.6
250- 125	2-3	13.87	11.97	34.6
125- 63	3-4	6.09	3.39	9.8
63- 32	4-5	2.9		
32- 16	5-6	8.4		
16- 8	6-7	6.4		
8- 4	7-8	6.4		
4- 2	8-9	6.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.66	0	0
1000- 500	0-1	.82	.05	.3
500- 250	1-2	4.44	3.8	20.9
250- 125	2-3	9.85	8.86	48.7
125- 63	3-4	2.44	1.6	8.8
63- 32	4-5	1.8		
32- 16	5-6	6.3		
16- 8	6-7	6.7		
8- 4	7-8	8.8		
4- 2	8-9	9.5		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.45	0	0
1000- 500	0-1	.81	.03	.2
500- 250	1-2	3.23	2.84	16.5
250- 125	2-3	8.14	7.59	44.1
125- 63	3-4	4.58	3.3	19.2
63- 32	4-5	2.8		
32- 16	5-6	8.6		
16- 8	6-7	7.9		
8- 4	7-8	9.8		
4- 2	8-9	9		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.48	0	0
1000- 500	0-1	.73	.02	.1
500- 250	1-2	5.08	4.68	24.5
250- 125	2-3	9.93	9	47.1
125- 63	3-4	2.88	1.89	9.9
63- 32	4-5	2.3		
32- 16	5-6	5.3		
16- 8	6-7	5.9		
8- 4	7-8	7.9		
4- 2	8-9	8.9		



KIES: .29 %



SAND: 24 %

SILT: 34.2 %


TON: 41.5 %

1224-1/340

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	.63	.02	.1
500- 250	1-2	5.4	5.03	20.8
250- 125	2-3	14.93	14.08	58.2
125- 63	3-4	2.81	1.96	8.1
63- 32	4-5	1.4		
32- 16	5-6	7.2		
16- 8	6-7	7.9		
8- 4	7-8	9.6		
4- 2	8-9	7.9		



7



6,7

8,2

7,8




6,9

5,6




5,2

2,4

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.45	0	0
1000- 500	0-1	1.58	.13	.5
500- 250	1-2	6.05	4.7	18.8
250- 125	2-3	12	9.73	38.9
125- 63	3-4	3.93	2.63	10.5
63- 32	4-5	4.1		
32- 16	5-6	10.3		
16- 8	6-7	8.6		
8- 4	7-8	8.6		
4- 2	8-9	8.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.82	0	0
1000- 500	0-1	1.11	.02	.1
500- 250	1-2	2.69	1.99	11.1
250- 125	2-3	9.52	8.45	47.2
125- 63	3-4	3.76	2.76	15.4
63- 32	4-5	4		
32- 16	5-6	11.1		
16- 8	6-7	9.8		
8- 4	7-8	10.2		
4- 2	8-9	8		






43,



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.54	.03	.1
1000- 500	0-1	.62	.05	.2
500- 250	1-2	4	3.38	12.5
250- 125	2-3	19.14	18.33	67.9
125- 63	3-4	2.7	2.11	7.8
63- 32	4-5	2.1		
32- 16	5-6	8.8		
16- 8	6-7	7.7		
8- 4	7-8	8.1		
4- 2	8-9	7.4		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.45	.02	.1
1000- 500	0-1	.85	.04	.2
500- 250	1-2	4.25	3.82	20.2
250- 125	2-3	10.96	10	52.9
125- 63	3-4	2.38	1.42	7.5
63- 32	4-5	1.4		
32- 16	5-6	6.9		
16- 8	6-7	6.2		
8- 4	7-8	8.3		
4- 2	8-9	10		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.4	0	0
1000- 500	0-1	.69	.02	.1
500- 250	1-2	4.64	4.22	24.4
250- 125	2-3	9.1	7.78	45
125- 63	3-4	2.47	1.51	8.7
63- 32	4-5	1.8		
32- 16	5-6	8.1		
16- 8	6-7	8.5		
8- 4	7-8	9.2		
4- 2	8-9	8.1		






6,9






9,7
8,2
7,8
6,7
5,5
5,1
2,2




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.64	0	0
1000- 500	0-1	.78	.08	.3
500- 250	1-2	2.17	1.66	6.2
250- 125	2-3	17.31	16.59	61.9
125- 63	3-4	5.87	5.01	18.7
63- 32	4-5	4.7		
32- 16	5-6	13.8		
16- 8	6-7	9.5		
8- 4	7-8	8.2		
4- 2	8-9	6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.63	.02	.1
1000- 500	0-1	.96	.05	.3
500- 250	1-2	1.86	1.19	7.5
250- 125	2-3	9.57	8.74	55.3
125- 63	3-4	2.77	1.91	12.1
63- 32	4-5	3		
32- 16	5-6	9.8		
16- 8	6-7	8.9		
8- 4	7-8	10.2		
4- 2	8-9	8.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.66	.02	.1
1000- 500	0-1	1.22	.02	.1
500- 250	1-2	3.16	1.97	10.5
250- 125	2-3	8.89	7.56	40.2
125- 63	3-4	4.87	2.63	14
63- 32	4-5	2.8		
32- 16	5-6	7.8		
16- 8	6-7	6.4		
8- 4	7-8	8.1		
4- 2	8-9	8.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.9	.01	.1
1000- 500	0-1	1.02	.03	.2
500- 250	1-2	2.3	1.46	10.2
250- 125	2-3	7.54	6.58	46
125- 63	3-4	2.53	1.37	9.6
63- 32	4-5	2.8		
32- 16	5-6	6.7		
16- 8	6-7	7		
8- 4	7-8	8.1		
4- 2	8-9	9.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.88	.01	.1
1000- 500	0-1	.98	.03	.2
500- 250	1-2	1.75	.68	4.9
250- 125	2-3	6.35	5.49	39.8
125- 63	3-4	3.85	2.72	19.7
63- 32	4-5	4.8		
32- 16	5-6	11.7		
16- 8	6-7	9.1		
8- 4	7-8	8.3		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.77	0	0
1000- 500	0-1	1.26	.05	.4
500- 250	1-2	2.03	.4	3.3
250- 125	2-3	4.63	3.31	27.6
125- 63	3-4	3.31	2.21	18.4
63- 32	4-5	4.3		
32- 16	5-6	8.9		
16- 8	6-7	6.6		
8- 4	7-8	7.8		
4- 2	8-9	9.3		





DEPTH (UM)	PHI	%	BIO GES.	BIO SA
0-1000	(-1)-0	.52	0	0
100-500	0-1	.94	.02	.3
100-250	1-2	1.47	.13	1.6
150-125	2-3	3.01	2.35	28.7
125-63	3-4	2.26	1.48	18.1
63-32	4-5	5.8		
32-16	5-6	12.1		
16-8	6-7	12.6		
8-4	7-8	10.2		
4-2	8-9	5.8		




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.62	.01	.1
1000- 500	0-1	.94	.03	.3
500- 250	1-2	1.46	.25	2.8
250- 125	2-3	2.6	1.98	22.5
125- 63	3-4	3.18	2	22.7
63- 32	4-5	2.4		
32- 16	5-6	7		
16- 8	6-7	5.6		
8- 4	7-8	7.7		
4- 2	8-9	9.8		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.95	0	0
1000- 500	0-1	1.41	.1	.5
500- 250	1-2	2.61	1.03	5.1
250- 125	2-3	10.91	9.84	48.7
125- 63	3-4	4.34	3.11	15.4
63- 32	4-5	4.4		
32- 16	5-6	10		
16- 8	6-7	6.3		
8- 4	7-8	7		
4- 2	8-9	7.4		






6






8,7
8,1
7,5
6
5
4,1
1




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.62	.02	.1
1000- 500	0-1	1.18	.19	1
500- 250	1-2	2.03	.49	2.6
250- 125	2-3	10.98	9.91	52.7
125- 63	3-4	3.97	2.74	14.6
63- 32	4-5	5.3		
32- 16	5-6	12.8		
16- 8	6-7	9.3		
8- 4	7-8	8.9		
4- 2	8-9	6.2		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.86	.01	.1
1000- 500	0-1	1.88	.03	.2
500- 250	1-2	2.99	.15	1.1
250- 125	2-3	4.4	2.62	19.7
125- 63	3-4	3.17	1.41	10.6
63- 32	4-5	4.4		
32- 16	5-6	11.5		
16- 8	6-7	10.2		
8- 4	7-8	9.7		
4- 2	8-9	6.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.11	.03	.3
1000- 500	0-1	1.54	.02	.2
500- 250	1-2	2.13	.14	1.4
250- 125	2-3	2.64	1.05	10.6
125- 63	3-4	2.47	.64	6.5
63- 32	4-5	3.8		
32- 16	5-6	11.4		
16- 8	6-7	8.9		
8- 4	7-8	9.3		
4- 2	8-9	6.8		






6
8,5
2,9
7,3
6,1
5
3,8
1




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.82	.05	.6
1000- 500	0-1	1.16	.02	.2
500- 250	1-2	1.78	.2	2.3
250- 125	2-3	3.12	2.11	23.7
125- 63	3-4	2.01	.95	10.7
63- 32	4-5	2.4		
32- 16	5-6	9.3		
16- 8	6-7	9.3		
8- 4	7-8	10.5		
4- 2	8-9	6.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.77	.01	.1
1000- 500	0-1	1.01	.02	.2
500- 250	1-2	1.53	.18	1.9
250- 125	2-3	3.72	2.59	27.9
125- 63	3-4	2.25	1.25	13.4
63- 32	4-5	2.3		
32- 16	5-6	9.4		
16- 8	6-7	9.8		
8- 4	7-8	10.2		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.93	.01	.1
1000- 500	0-1	1.55	.06	.5
500- 250	1-2	2.36	.22	1.7
250- 125	2-3	5.04	3.41	26.4
125- 63	3-4	3.03	1.69	13.1
63- 32	4-5	3.6		
32- 16	5-6	10.5		
16- 8	6-7	9.6		
8- 4	7-8	8.4		
4- 2	8-9	6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.97	.07	.5
1000- 500	0-1	1.23	.01	.1
500- 250	1-2	2.12	.48	3.7
250- 125	2-3	5.97	4.51	34.4
125- 63	3-4	2.82	1.57	12
63- 32	4-5	3.3		
32- 16	5-6	10.8		
16- 8	6-7	9.1		
8- 4	7-8	9.1		
4- 2	8-9	7.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.93	.03	.2
1000- 500	0-1	1.32	.06	.4
500- 250	1-2	2.64	1.58	11.4
250- 125	2-3	6.2	4.07	29.3
125- 63	3-4	2.82	1.01	7.3
63- 32	4-5	3.2		
32- 16	5-6	10.5		
16- 8	6-7	10.9		
8- 4	7-8	8.9		
4- 2	8-9	4.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.86	.03	.2
1000- 500	0-1	1.17	.08	.6
500- 250	1-2	2.03	.82	6.2
250- 125	2-3	6.28	4.72	35.5
125- 63	3-4	2.94	1.1	8.3
63- 32	4-5	6.7		
32- 16	5-6	14.4		
16- 8	6-7	8.5		
8- 4	7-8	7.2		
4- 2	8-9	6.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.01	0	0
1000- 500	0-1	1.54	.05	.4
500- 250	1-2	2.26	.3	2.6
250- 125	2-3	4.12	2.27	19.9
125- 63	3-4	2.47	.63	5.5
63- 32	4-5	3.9		
32- 16	5-6	12.6		
16- 8	6-7	9.6		
8- 4	7-8	9.2		
4- 2	8-9	5.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.37	0	0
1000- 500	0-1	2.04	.02	.2
500- 250	1-2	2.25	.14	1.5
250- 125	2-3	2	.31	3.3
125- 63	3-4	1.83	.18	1.9
63- 32	4-5	3.8		
32- 16	5-6	11		
16- 8	6-7	9.3		
8- 4	7-8	8.4		
4- 2	8-9	6.8		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.61	0	0
1000- 500	0-1	.8	.01	.1
500- 250	1-2	1.16	.1	1.9
250- 125	2-3	1.53	.71	13.2
125- 63	3-4	1.29	.42	7.7
63- 32	4-5	2.5		
32- 16	5-6	8.9		
16- 8	6-7	10.6		
8- 4	7-8	11.4		
4- 2	8-9	6.8		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.43	.01	.1
1000- 500	0-1	1.81	.03	.2
500- 250	1-2	2.59	.21	1.6
250- 125	2-3	4.27	2.19	16.7
125- 63	3-4	3	1.48	11.3
63- 32	4-5	3.5		
32- 16	5-6	12		
16- 8	6-7	12.4		
8- 4	7-8	9.7		
4- 2	8-9	4		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.44	0	0
1000- 500	0-1	1.83	.01	.1
500- 250	1-2	2.89	.04	.3
250- 125	2-3	3.53	1.12	9.1
125- 63	3-4	2.6	.79	6.4
63- 32	4-5	1.9		
32- 16	5-6	7		
16- 8	6-7	10.4		
8- 4	7-8	10		
4- 2	8-9	5.2		






6,4






8,6
7,7
7,3
6,3
4,5
2,4
0,6




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.55	.02	.2
1000- 500	0-1	1.69	0	0
500- 250	1-2	2.15	.05	.5
250- 125	2-3	2.32	.41	4.1
125- 63	3-4	2.18	.29	2.9
63- 32	4-5	1.4		
32- 16	5-6	6.1		
16- 8	6-7	9.4		
8- 4	7-8	11.2		
4- 2	8-9	5.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.99	0	0
1000- 500	0-1	1.44	.02	.2
500- 250	1-2	1.9	.09	1
250- 125	2-3	2.28	.93	10.6
125- 63	3-4	2.19	.83	9.4
63- 32	4-5	1.9		
32- 16	5-6	6.8		
16- 8	6-7	9.4		
8- 4	7-8	11.3		
4- 2	8-9	6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.77	.01	.2
1000- 500	0-1	.95	0	0
500- 250	1-2	1.41	.03	.5
250- 125	2-3	1.4	.15	2.5
125- 63	3-4	1.28	.05	.8
63- 32	4-5	2.5		
32- 16	5-6	9.6		
16- 8	6-7	10		
8- 4	7-8	10		
4- 2	8-9	7.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.03	0	0
1000- 500	0-1	1.62	.01	.1
500- 250	1-2	2.13	.01	.1
250- 125	2-3	2.21	.04	.5
125- 63	3-4	1.61	.02	.2
63- 32	4-5	3.5		
32- 16	5-6	12.3		
16- 8	6-7	9.7		
8- 4	7-8	7.9		
4- 2	8-9	7.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.78	0	0
1000- 500	0-1	1.54	.01	.1
500- 250	1-2	2.33	0	0
250- 125	2-3	2.54	.07	.8
125- 63	3-4	2.11	.07	.8
63- 32	4-5	2.3		
32- 16	5-6	7.8		
16- 8	6-7	9		
8- 4	7-8	8.2		
4- 2	8-9	9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.72	.01	.2
1000- 500	0-1	1	0	0
500- 250	1-2	1.58	.01	.2
250- 125	2-3	1.79	.01	.1
125- 63	3-4	1.41	.03	.4
63- 32	4-5	1.8		
32- 16	5-6	8.8		
16- 8	6-7	10.1		
8- 4	7-8	10.1		
4- 2	8-9	10.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.4	0	0
1000- 500	0-1	.52	0	0
500- 250	1-2	.73	0	.1
250- 125	2-3	.82	.03	1
125- 63	3-4	.83	.04	1.1
63- 32	4-5	.9		
32- 16	5-6	7.7		
16- 8	6-7	11.3		
8- 4	7-8	11.7		
4- 2	8-9	9.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.77	.04	.7
1000- 500	0-1	.92	.02	.4
500- 250	1-2	1.42	.01	.2
250- 125	2-3	1.7	.05	.8
125- 63	3-4	1.29	.02	.3
63- 32	4-5	1.4		
32- 16	5-6	8.8		
16- 8	6-7	9.7		
8- 4	7-8	11.6		
4- 2	8-9	10.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.64	.01	.2
1000- 500	0-1	.84	0	0
500- 250	1-2	1.34	.01	.1
250- 125	2-3	1.48	.01	.1
125- 63	3-4	1.39	.01	.1
63- 32	4-5	2.1		
32- 16	5-6	7.3		
16- 8	6-7	8.1		
8- 4	7-8	10.3		
4- 2	8-9	10.7		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.62	.03	.5
1000- 500	0-1	.82	.01	.1
500- 250	1-2	1.28	0	0
250- 125	2-3	1.4	.01	.1
125- 63	3-4	1.08	.01	.2
63- 32	4-5	1.2		
32- 16	5-6	7		
16- 8	6-7	7.4		
8- 4	7-8	8.6		
4- 2	8-9	10.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.2	0	0
1000- 500	0-1	1.54	0	0
500- 250	1-2	2.14	0	0
250- 125	2-3	1.88	.01	.1
125- 63	3-4	1.75	0	0
63- 32	4-5	2.2		
32- 16	5-6	10		
16- 8	6-7	12.3		
8- 4	7-8	12.3		
4- 2	8-9	13.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.67	.01	.1
1000- 500	0-1	1.26	0	0
500- 250	1-2	1.87	0	0
250- 125	2-3	1.57	0	0
125- 63	3-4	1.73	.01	.1
63- 32	4-5	.9		
32- 16	5-6	8.7		
16- 8	6-7	10.1		
8- 4	7-8	10.5		
4- 2	8-9	10.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.49	0	0
1000- 500	0-1	.75	0	0
500- 250	1-2	1.25	.01	.1
250- 125	2-3	1.28	.01	.2
125- 63	3-4	1.25	.01	.1
63- 32	4-5	1.4		
32- 16	5-6	7.5		
16- 8	6-7	10.8		
8- 4	7-8	11.8		
4- 2	8-9	11.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.38	0	0
1000- 500	0-1	.62	.01	.2
500- 250	1-2	.87	0	.1
250- 125	2-3	.78	0	.1
125- 63	3-4	.96	0	0
63- 32	4-5	1.5		
32- 16	5-6	9.4		
16- 8	6-7	11.4		
8- 4	7-8	11.9		
4- 2	8-9	10.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.08	0	0
1000- 500	0-1	.16	0	0
500- 250	1-2	.25	0	.1
250- 125	2-3	.28	0	.1
125- 63	3-4	.24	0	0
63- 32	4-5	.8		
32- 16	5-6	7.2		
16- 8	6-7	8.5		
8- 4	7-8	9.3		
4- 2	8-9	11.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.41	0	0
1000- 500	0-1	.79	0	0
500- 250	1-2	1.52	.01	.1
250- 125	2-3	1.68	0	0
125- 63	3-4	1.29	0	0
63- 32	4-5	.8		
32- 16	5-6	6.8		
16- 8	6-7	8		
8- 4	7-8	9.7		
4- 2	8-9	11.8		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.76	0	0
1000- 500	0-1	.72	0	0
500- 250	1-2	1.3	.01	.1
250- 125	2-3	1.31	0	0
125- 63	3-4	.93	.01	.1
63- 32	4-5	.9		
32- 16	5-6	4.6		
16- 8	6-7	8.3		
8- 4	7-8	11.5		
4- 2	8-9	14.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.67	0	0
1000- 500	0-1	.75	0	0
500- 250	1-2	1.07	0	0
250- 125	2-3	.99	0	.1
125- 63	3-4	.92	0	.1
63- 32	4-5	1.5		
32- 16	5-6	8.3		
16- 8	6-7	10.2		
8- 4	7-8	11.7		
4- 2	8-9	11.2		






8,8
8,3
7,9
6,9
5,7
5,2
1,9




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.48	0	0
1000- 500	0-1	.77	0	0
500- 250	1-2	1.14	0	0
250- 125	2-3	1.1	0	0
125- 63	3-4	.93	0	0
63- 32	4-5	1.3		
32- 16	5-6	6.6		
16- 8	6-7	8.4		
8- 4	7-8	10.1		
4- 2	8-9	12.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.53	0	0
1000- 500	0-1	.78	0	0
500- 250	1-2	1.15	0	0
250- 125	2-3	1.06	0	0
125- 63	3-4	1.09	0	.1
63- 32	4-5	1.2		
32- 16	5-6	4.1		
16- 8	6-7	7.7		
8- 4	7-8	10.6		
4- 2	8-9	12.2		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.35	0	0
1000- 500	0-1	.85	0	.1
500- 250	1-2	1.26	0	0
250- 125	2-3	1.13	0	0
125- 63	3-4	1.1	0	0
63- 32	4-5	1.9		
32- 16	5-6	9.7		
16- 8	6-7	9.7		
8- 4	7-8	10.2		
4- 2	8-9	11.2		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.48	0	0
1000- 500	0-1	.7	.01	.2
500- 250	1-2	1.05	0	0
250- 125	2-3	.29	0	0
125- 63	3-4	1.48	0	0
63- 32	4-5	1.6		
32- 16	5-6	9.5		
16- 8	6-7	11.7		
8- 4	7-8	11.7		
4- 2	8-9	12.7		



KIES: .6 %




SAND: 2.8 %

SILT: 53.8 %




TON: 42.8 %

1224-1/850




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	.54	0	0
500- 250	1-2	.76	0	0
250- 125	2-3	.59	0	0
125- 63	3-4	.67	0	0
63- 32	4-5	1.1		
32- 16	5-6	11.4		
16- 8	6-7	11.9		
8- 4	7-8	14.2		
4- 2	8-9	13.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.39	0	0
1000- 500	0-1	.68	0	0
500- 250	1-2	1.04	.01	.2
250- 125	2-3	.68	.01	.2
125- 63	3-4	1.2	.01	.2
63- 32	4-5	1		
32- 16	5-6	7.5		
16- 8	6-7	10.5		
8- 4	7-8	12.5		
4- 2	8-9	12.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.45	0	0
1000- 500	0-1	.75	0	.1
500- 250	1-2	1.07	0	.1
250- 125	2-3	.98	0	.1
125- 63	3-4	.94	0	0
63- 32	4-5	.9		
32- 16	5-6	7.8		
16- 8	6-7	9.2		
8- 4	7-8	10.1		
4- 2	8-9	12.4		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.51	0	0
1000- 500	0-1	.8	0	.1
500- 250	1-2	1.16	0	.1
250- 125	2-3	1.18	0	0
125- 63	3-4	.85	0	.1
63- 32	4-5	1.1		
32- 16	5-6	10.3		
16- 8	6-7	11.9		
8- 4	7-8	12.4		
4- 2	8-9	13		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.6	0	0
1000- 500	0-1	.76	0	0
500- 250	1-2	.96	0	.1
250- 125	2-3	.85	0	.1
125- 63	3-4	.72	0	0
63- 32	4-5	1.1		
32- 16	5-6	11.3		
16- 8	6-7	14.1		
8- 4	7-8	11.9		
4- 2	8-9	13		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.5	0	0
1000- 500	0-1	.75	0	.1
500- 250	1-2	1.12	0	0
250- 125	2-3	.86	0	0
125- 63	3-4	.89	0	.1
63- 32	4-5	.5		
32- 16	5-6	8.8		
16- 8	6-7	10.9		
8- 4	7-8	12.4		
4- 2	8-9	14		






7






8,8
8,4
6,1
7,1
5,9
5,5
2




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.66	0	0
1000- 500	0-1	1.03	.01	.1
500- 250	1-2	1.37	.01	.1
250- 125	2-3	1.24	0	0
125- 63	3-4	1.11	.01	.1
63- 32	4-5	1.5		
32- 16	5-6	9.7		
16- 8	6-7	10.2		
8- 4	7-8	12.3		
4- 2	8-9	12.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.6	0	0
1000- 500	0-1	.82	0	0
500- 250	1-2	.92	0	0
250- 125	2-3	.77	0	0
125- 63	3-4	.9	0	0
63- 32	4-5	1		
32- 16	5-6	6.5		
16- 8	6-7	10		
8- 4	7-8	13		
4- 2	8-9	14		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.26	0	0
1000- 500	0-1	.49	0	0
500- 250	1-2	.67	0	0
250- 125	2-3	.61	0	0
125- 63	3-4	.66	0	.1
63- 32	4-5	1		
32- 16	5-6	6.9		
16- 8	6-7	8.9		
8- 4	7-8	12.3		
4- 2	8-9	14.3		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.42	0	0
1000- 500	0-1	.7	0	0
500- 250	1-2	1.04	0	.1
250- 125	2-3	.82	0	0
125- 63	3-4	1.02	0	0
63- 32	4-5	1.5		
32- 16	5-6	8		
16- 8	6-7	9		
8- 4	7-8	13		
4- 2	8-9	13.5		



KIES: 4.47 %



SAND: 5.7 %

SILT: 45.4 %


TON: 44.4 %

1224-1/950

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.96	0	0
1000- 500	0-1	1.18	0	0
500- 250	1-2	1.56	0	0
250- 125	2-3	1.38	0	0
125- 63	3-4	1.22	0	0
63- 32	4-5	1.5		
32- 16	5-6	9		
16- 8	6-7	10		
8- 4	7-8	11.5		
4- 2	8-9	12.6		






6,7






8,8
 8,3
 8
 6,8
 5,6
 5
 1,2

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.92	0	0
1000- 500	0-1	1.21	.01	.1
500- 250	1-2	1.66	.01	.1
250- 125	2-3	1.13	0	0
125- 63	3-4	2.07	0	0
63- 32	4-5	2.4		
32- 16	5-6	10.1		
16- 8	6-7	9.6		
8- 4	7-8	10.1		
4- 2	8-9	10.6		






6,5
8,8
8,2
7,7
6,5
5,3
4,3
1,2




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.77	0	0
1000- 500	0-1	1.35	0	0
500- 250	1-2	1.75	0	0
250- 125	2-3	1.53	0	0
125- 63	3-4	1.81	.01	.1
63- 32	4-5	1.7		
32- 16	5-6	6.7		
16- 8	6-7	7.6		
8- 4	7-8	9.2		
4- 2	8-9	11.3		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.52	0	0
1000- 500	0-1	.7	0	0
500- 250	1-2	1.06	.08	1.9
250- 125	2-3	.68	.03	.6
125- 63	3-4	1.45	.05	1.2
63- 32	4-5	2.1		
32- 16	5-6	9.8		
16- 8	6-7	11.4		
8- 4	7-8	11.4		
4- 2	8-9	10.9		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.77	0	0
1000- 500	0-1	1.06	0	0
500- 250	1-2	1.46	.01	.1
250- 125	2-3	1.46	.01	.1
125- 63	3-4	1.37	.01	.1
63- 32	4-5	2.4		
32- 16	5-6	9.6		
16- 8	6-7	10.1		
8- 4	7-8	10.1		
4- 2	8-9	11.1		



6,7

6,6

5,4

4,8

1,1

Sand

1224-1

vide Forams

