



CTD Data RV Heincke HE595

Data Processing Report

Contents

1	Introduction	1
2	Workflow	1
3	Expedition details	3
4	Sensor Layout	3
5	Processing	3
6	Results	5

Contact:

Dr. Sandra Tippenhauer Alfred-Wegener-Institute

Klußmannstr. 3d, D-27570 Bremerhaven, GERMANY

Mail: info@awi.de

Processing Agency:

FIELAX GmbH

Schleusenstr. 14, D-27568 Bremerhaven, GERMANY

Mail: info@fielax.de

Ref.: CTD-HE595-report.pdf	Vers.: 1	Date: 2022/07/11	Status: final
----------------------------	----------	------------------	---------------



1 Introduction

This report describes the processing of CTD raw data acquired by Seabird SBE 911plus CTD on board RV Heincke during expedition HE595.

2 Workflow

The different steps of processing and validation are visualized in Figure 1. The CTD raw data are delivered from Dr. Sandra Tippenhauer (AWI). The station book of the RV Heincke cruise is extracted from the DAVIS SHIP data base (https://dship.awi.de). The first CTD station and cast is processed manually in SBE Data Processing to configure the *.psa Seabird routines Data Conversion, Wild Edit, Bottle Summary, Split, Translate, Cell Thermal Mass, Loop Edit and Bin Average. The Seabird routines are then run in a batch job CTDjob in ManageCTD to process the complete CTD data set. The downcast of each CTD station/cast is used for further processing. In CTDjob the start record and the lowest altimeter point of the downcast is selected. With the *Utilities* → *Dship Ebook* function of ManageCTD the DAVIS SHIP station book extraction is used for getting the header information of all CTD stations/casts of the cruise. ManageCTD *Utilities* \rightarrow *Find Profile* function compares station times of the header with the entries in the station book to find out the correct naming of the stations and casts. In CTDheader in ManageCTD the header information of each CTD station/cast is displayed, controlled and corrected if necessary. CTDdespike in ManageCTD is used for a visual check of the data and to erase/interpolate spikes in the data if necessary. Additionally, a sensor pair (Temp1/Sal1 or Temp2/Sal2) is chosen for each station/cast of the RV Heincke cruise in CTDdespike.

ManageCTD *Utilities* \rightarrow *CheckDoubleSensors* controls the quality of temperature and conductivity sensors. For this purpose outliers of too high sensor pair differences could be removed. The data is then converted to spreadsheet format with dsp2odv for visualization of the data in Ocean Data View (ODV). The second visual inspection of the CTD data allows a comparison with data from other CTD casts from close-by stations to verify the oxygen sensor data. Therefore, potential reference cruise data is downloaded from PANGAEA (http://www.PANGAEA.de). The reference data is converted to *.mat format. In the ManageCTD Final Processing the CTD data is displayed together with the reference data. Bad data points, sensors or casts are interpolated or erased from the data set and filters are applied if necessary. The processed CTD data are written to text files and imported to PANGAEA (http://www.PANGAEA.de) for publication.






Figure 1: CTD data Processing Workflow



3 Expedition details

Vessel name RV Heincke Expedition number HE595

Expedition leader Holtappels, Moritz

Expedition start 17.03.2022 Bremerhaven Expedition end 03.04.2022 Bremerhaven

Duration 17 days No. of CTD casts 257

BSH ID 20220155

Expedition report https://doi.pangaea.de/10.48433/cr_he595

Expedition map https://download.pangaea.de/reference/113265/attachments/HE595_nav.jpg

Event list https://www.pangaea.de/expeditions/events/HE595

4 Sensor Layout

This chapter describes the CTD sensors mounted during this cruise: SBE 911plus CTD (SN: 1015), SBE Instrument Configuration Version 7.23.0.1.

ID	Sensor Name	Serial No.	Calibration Date
55	TemperatureSensor	4918	05-Mar-21
3	ConductivitySensor	3810	09-Feb-21
45	PressureSensor	1015	26-Jan-17
55	TemperatureSensor	5110	05-Mar-21
3	ConductivitySensor	3827	02-Feb-12
0	AltimeterSensor	Valeport	None
71	WET_LabsCStar	435	None
20	FluoroWetlabECO_AFL_FL_Sensor	1365	7.1.2022

5 Processing

Details of processing procedures and processing parameters are described in *CTD Processing Log-book of RV Heincke* (hdl:10013/epic.47427).

Density Inversions and Manual Validation

Obvious outliers were removed manually. For the visual check density inversions > 0.005 kg/m^3 and > 0.01 kg/m^3 were flagged differently for display but not removed automatically. Decisions whether the flagged values were manually removed or not are based on the description in *CTD Processing Logbook of RV Heincke* (hdl:10013/epic.47427).



Sensor Differences




Figure 2: Data accuracy of sensor pairs HE595



6 Results

A complete processing overview for each sensor at each station is summarized in the table in the Appendix (Figure 3).

Double Sensor Check

In Figure 2, the absolute residuals between the two sensorpairs are shown for the measured parameters *Temperature* and *Conductivity* and the derived parameter *Salinity*. Measurements in shallow water depths < 15 m (blue crosses) and gradients between two datapoints exceeding a defined threshold (red crosses) were omitted for accuracy calculation.

	Accuracy	Measurements re-	Remaining measure-
		moved	ments
Parameter	given by manufacturer	Surface 0-15m + gradi-	within accuracy specifi-
		ent filter	cations
Temperature	$\pm 0.001^{\circ}C$	58.05%	78.89%
Conductivity	$\pm 0.003mS/cm$	57.16%	91.77%
Salinity	$\pm 0.0015 PSU$	57.46%	80.07%

Comments

- 256 CTD "max depth/on ground" entries in DShip station book
- · 257 CTD raw data sets delivered
- 2 CTD casts had no corresponding entry in station book (CTD_031 and CTD_118)
- 1 CTD cast had "information" as action in station book (CTD_238)
- 18 CTD casts were made on station 7-1
- 33 CTD cast were made on station 21-1
- 33 CTD cast were made on station 40-1
- 29 CTD cast were made on station 46-1
- 27 CTD cast were made on station 68-1
- 25 CTD cast were made on station 74-1
- 29 CTD cast were made on station 127-1
- · 63 CTD cast were made on other stations
- in total 257 CTD casts processed and uploaded



- of these 257 processed CTD casts:
 - 0 oxygen profiles deleted (spiky and not matching to reference casts)
 - 718 data points interpolated
 - 115 data points erased

Result files

Text File (HE595_phys_oce.tab):

The format is a plain text (tab-delimited values) file.

Column separator	Tabulator "\t"
Column 1	Event label
Column 2	Date/Time of event
Column 3	Latitude of event
Column 4	Longitude of event
Column 5	Elevation of event
Column 6	DEPTH, water
Column 7	Pressure, water
Column 8	Temperature, water
Column 9	Conductivity
Column 10	Salinity
Column 11	Temperature, water, potential
Column 12	Density, sigma-theta (0)
Column 13	Oxygen
Column 14	Oxygen, saturation
Column 15	Attenuation, optical beam transmission
Column 16	Fluorometer
Column 17	Number of observations

Processing Report (CTD-HE595-report.pdf):

This PDF document.



Comments				no btl				1		no btl		no btl		no btl	3	no bti	1	no bti	3	ng on	3	IIQ C				no btl	no btl	no btl	no btl		no btl, CTD cast not in station book, time and position taken from CTD header	no btl	no btl	no btl	no btl		no bti	100	no btl	no pri	no btl	no btl	no btl	no btl	no btl
L	┙							_	_	L					1	1	1	_		_		2			_	1	_	_								_	1	_	1	_	_	_			
93	n) Offse	1.3	1.2	1.3	1.2	1.3	21 2	1,5	4.	1.5	1.5	1.5	1.2	1.2	6.1	+	+	ς: -	1:2	7: 0	0.2	2.0	2.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	7.0	0.2	0.2	0.0	0.2	0.2	0.2	0.2
Oxygen reference	dist. (kr	3.69	3.07	2.68	2.68	2.68	2.67	2 66	2.58	2.57	2.57	2.59	2.68	2.67	2.68	79.7	2.69	2.68	2.69	00.7	0.38	0.52	0.02	0.52	0.32	0.52	0.55	0.57	0.69	0.70	0.70	0.70	0.67	0.70	0.68	0.67	0.64	0.02	0.62	10.0	C C C	0.54	0.55	0.55	0.55
Oxyge	cruise/sss-cc dist. (km) Offset	HE395/51-1	HE395/51-1	HE395/38-1	HE395/38-1	HE395/38-1	HE395/38-1 HE395/38-1	HE395/38-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/38-1	HE395/38-1	HE395/38-1	HE395/38-1	HE395/38-1	HE395/04-1	HE395/38-1	1-02/26211	HE461/04-2	HE461/03-1	HE401/03-1	HE461/03-1	11401/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	11404/004	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1	HE461/03-1
nsors	Offset	0.32	0.29	0.32	0.25	0.31	0.28	98.0	0.26	0.29	0.29	0.28	0.28	0.29	0.33	6.29	0.28	0.32	0.28	62.0	0.28	62.0	12.0	0.27	0.27	0.29	0.29	0.28	0.36	0.26	0.27	0.27	0.26	0.26	0.27	0.28	62.0	0.30	0.30	62.0	0.31	0.34	0.28	0:30	0.29
2 Oxy Sensors	Sensor Offset	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	/601	7651	/601	1597	/60.	7651	1597	1507	1287	7801	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	/601	1597	1997	1597	1597	1597	1597	1597	1597	1597
								ď		l	l				Ť	,	2		1	1						Ť	1									1	1	1		Ì					_
Complete	interp erased	2			5		r.		,	2		2	10	2			ç			n	ç	2 4	2 4	n		ر د	٩						10	2	2	c l	c c	ç	0,	n		2	П		_
Ž	erased							e	,																	Ī																			_
Oxy	interp erased	-			1		_		1	-		-	2	-		1	-		1	-	,	7 7	-	1	,	-							2	-	- ,	- -		,	7	-		-			_
o.	erased															,	2			1						Ī														Ī					_
Fluor	interp erased	-			1		-		-	-		-	2	-		1			,	-		7 -	-	-	,	-							2	-	- ,	- -		,	.7	-		-			
su	interp erased																																												
Trans	interp	-			1		-		-	-		-	2	-		Ţ.	-		,	-	(7 7	-	-	,	-							2	-	- ,	- -	-	,	.7	-		-			
Sal	interp erased							e	2																																				
_	_	-			-		-		-	-		-	2	-			-		,	-	(7 7	- -	-	,	- ,	-						2	-	- ,	-	-	,	.7	-		-			
Temp	interp erased																																												
1 Te	interp	-			1		-	-	-	-		-	2	-			-		ļ	-		7 +	- -	-	,	- ,	-						2	-	- ,	-		,	7	-		-			
Sensor	paır	-	1	-	1	1			-	_	-	-	1	-		- 0	7	-	-	- -	- ,		- -	- -	- ,	- -	-	-	- ,	-	L	-	-	-	- ,	- -	-	- -	-	- -		-	-	-	-
File Name	HE595_	CTD_001	CTD_002	CTD_003	CTD_004	CTD_005	CTD 006	CTD OOR	CTD 000	CTD 010	CTD 011	CTD 012	CTD_013	CTD_014	CTD 015	CID 016	CID_017	CID 018	CTD 019	C1D_020	CID_021	CTD UZZ	CTD_023	CID_024	CID_023	CID_026	CID_02/	CTD 028	CTD_029	CTD_030	CTD_031	CTD 032	CTD_033	CTD_034	CTD_035	CID 036	CID_03/	C1D 030	CID_039	CID_040	CTD 041	CTD 043	CTD_044	CTD_045	CTD_046
Depth	<u>E</u>	26.4	21.5	22.5	22.3	21.2	21.2	22.1	22.7	-	-	_	23.3	-	_	21.8	0.12	_	_	-	\perp	26.0	20.3	χ.ο.ς 20.02	20.0	27.0	27.4	28.0	28.2	28.7	29	29.5	29.7	29.8	29.7	29.8	7.87			50.9	28.8	28.1	1 1	27.5	27.3
Position	Longitude	008° 01,162' E	007° 59,195' E	008° 02,471' E	008° 02,470' E	008° 02,469' E	008° 02,470′ E	008° 02,5558 E	008° 02.601' E	008° 02.606′ E	008° 02,602′ E	008° 02,591' E	008° 02,495' E	008° 02,478' E	008° 02,477′ E	008 02,473 E	008° 02,469° E	008 02,466 E	008° 02,463° E	000 02,477 E	007° 58,029° E	007° 58,453° E	007° 59 460° F	007° 58,450' E	007° 50,435 E	007° 58,473° E	007° 58,453° E	007° 58,535′ E	007° 58,607' E	007° 58,616' E	007° 58,63' E	007° 58,625' E	007° 58,616' E	007° 58,626' E	007° 58,628' E	00/ 58,615 E	007° 58,596° E	1 00,00 100 1 1057 07 0700	007° 58,576° E	007° 58,556° E	007° 58,512' E	007° 58,509' E	007° 58,504' E	007° 58,504' E	007° 58,505' E
Position			54° 10,051' N	54° 05,376' N			54° 05,371' N 54° 05,345' N		- 1	54° 05,368' N	54° 05,363' N	54° 05,355' N		54° 05,365' N	54° 05,373' N	-	54° 05,384° N	N. 282. N	\rightarrow	+		54- 05,043: N	- 1		- 1	- 1		- 1	54° 05,008' N	54° 05,011' N	54°05,01' N		54° 05,026' N	54° 05,017' N	\rightarrow	+	54° 05,048° N	24 03,049 N	54° 05,048° N	54° 05,050° N	54° 05 067' N	54° 05,063' N	54° 05,058' N	54° 05,058' N	54° 05,059° N
Time		2 12:45	14:44	2 14:42	2 15:32	2 16:44	2 17:33	10.36	2 20:34	2 21:33	2 22:34	2 23:32	2 00:30		2 02:30	2 03:29	2 04:35	97:CD 7	2 06:28	20.70	02:30	2 18:09	10.02	19:04	05:30	2 20:06	2 20:34	2 21:05	2 21:33	2 22:03	2 22:31			2 00:04	2 00:32	20:10 2	2 01:33	02.00	2 02:30	03:00	2 03:29	2 04:28	2 05:00	2 05:27	2 06:00
Date		17.03.2022	17.03.2022	18.03.2022	18.03.2022	18.03.2022	18.03.2022 17:33 18.03.2022 18:35	18 03 2022	18.03.2022 20:34	18,03,2022 21:33	18.03.2022 22:34	18.03.2022 23:32	19.03.2022 00:30	19.03.2022 01:33	19.03.2022 02:30	19.03.2022 03:29	19.03.2022 04:35	19.03.202	19.03.2022 06:28	19.03.2022 07.32	20.03.2022 05:36	20.03.2022 18:09	20.03.202	20.03.2022 19:04	20.03.202	20.03.2022 20:06	20.03.2022 20:34	20.03.2022 21:05	20.03.2022 21:33	20.03.2022 22:03	20.03.2022 22:31	20.03.2022 23:05	20.03.2022 23:33	21.03.2022 00:04	21.03.2022 00:32	21.03.2022 01:02	21.03.2022 01:33	202.50.12	21.03.2022 02:30	21.03.2022 03:00	21.03.2022 03:29	21.03.2022 04:28	21.03.2022 05:00	21.03.2022	21.03.2022 06:00
Gear	-	CTD 1	CTD 1	CTD 1	CTD 1	$\overline{}$	CTO CTO	-	-	-	-	-	CTD 1	$\overline{}$	_	_	-	_	_	_						_		_	CTD	CTD	СТБ	CTD		_			a d	2 6		3 6	2 E			CTD	CTD
Station	HE595_	1-1	2-1	7-1-1	7-1-2	7-1-3	7-1-4	7-1-6	7-1-7	7-1-8	7-1-9	7-1-10	7-1-11	7-1-12	7-1-13	41-1-7	CL-L-/	91-1-/	7-1-17	01-1-/	12-7	21-1-1	2-1-12	5-1-13	4-1-1-4	21-1-5	9-1-12	21-1-7	21-1-8	21-1-9	21-1-10	21-1-11	21-1-12	21-1-13	21-1-14	CL-1-17	21-1-16	/1-1-17	21-1-18	61-1-12	21-1-20	21-1-22	21-1-23	21-1-24	21-1-25

Figure 3: CTD data Processing Summary HE595 Page 7 of 20



Figure 4: CTD data Processing Summary HE595 Page 8 of 20



Comments		ptl	ptl	no btl	no btl	no btl		no pt	no btl	ŧ	no btl	ΙĘ	Ħ.	ptl	pţ	ptl	TD cast station ne and taken CTD der	no btl		no btl	no btl	15 O	pt	no btl	no pt	no btl	no btl	ptl	ρĘ	no btl	ρĮ	no btl	no btl	ptl								
L	┙	no btl			_		1	_	_	L								no btl	no btl	no btl	no btl,CTD cast not in station book, time and position taken from CTD header												_							1		
ا پر) Offse	1.5	1.4	4.1	4.	4.1	4.1	1.5	5 4:	1.4	4.	1.4	1.4	1.5	1.5	1.5	1.5	1.5	1.5	1.5		1.5	1.5	0.2	0.3	0.4	1.5	1.5	1.4	1.2	0.3	4.	0.4	0.3	0.3	0.2	0.9	0.3	0.2	0.2	0.2	0.2
Oxygen reference	dist. (km) Offset	4.41	4.40	4.40	4.41	4.41	4.40	4.39	4.30	4.35	4.35	4.34	4.34	4.34	4.34	4.34	4.34	4.33	4.33	4.33	4.34	4.37	2.28	2.96	0.55	7.36	6.30	2.87	0.55	2.37	0.40	2.51	3.47	5.79	8.40	6.13	5.54	6.54	5.23	5.23	5.22	5.23
Oxyge	cruise/sss-cc	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/05-1	HE571_22-1	HE571_22-1	HE571 22-1	HE395/04-1	HE395/04-1	HE395/04-1	HE395/38-1	HE461/04-2	HE395/02-1	HE571 5-1	HE571_5-1	HE571_5-1	HE571_15-1	HE461/12-1	HE461/53-1	HE461/26-1	HE461/26-1 HE461/26-1	HE461/26-1	HE461/26-1
Н	Offset	0.29	0.29	0.32	0.26	0.28	0.29	0.29	0.30	0.30	0.31	0.27	0.30	0.31	0.30	0.32	0.32	0.30	0.28	0.33	0.29	0:30	0.29	0.32	0.30	0.28	0.28	0.27	0.27	0.27	0.30	67.0	0.28	0.26	0.27	0.28	0.26	0.31	0.28	0.30	0.28	0.28
2 Oxy Sensors	7	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597
	interp erased						,	7							3		2	2								10							- 4									
Com	interp		2		1	2	Ş	10	2	10	:		2		2					5	c,			2				2		10		ч	2 2	2		10	2	2	2	2	_	
Oxy	interp erased														1			-								2																
			-			-	,	7	-	2			-		1					-	-			-				-		2		,		-		2	-	-	-	-	-	
Fluor	interp erased														2		2	-								2						,	- 4									
			-			-	,	2	-	2			-		1					-	~			1				-		2		,	- -	-		2	-	-	-	-	က	
Trans	interp erased						,	2									9	-								2																
	_		-			-		7	-	2			-		1					-	-			1				-		7		,	-	-		7	-	-	-	-	-	
Sal	interp erased																	-								2						1										
			-		-	-	,	2	-	2			-		1					-	-			1				-		2	_	+		-		2	-	-	-	-	-	
Temp	interp erased				1				+									-								2				4	1	1	-	L				4		+		
⊢	┪		-		-	-	,	2	_	2			-		1					-	-			1				-		2	1	+	- -	-		2	-	-	-	_	-	
S.	pair	_	-	-	-				- -	-	-	-	-	1	1	-	-	-	-	-		-	-	1			-	1	-	~	- ,	- -	- -	-	1	-	-	-	~		-	-
File Name	HE595_	CTD_098	CTD_099	CTD_100	СТD 101	CTD_102	CTD 103	CTD 104	CTD 106	CTD 107	CTD 108	CTD 109	CTD_110	CTD_111	CTD_112	CTD_113	CTD_114	CTD_115	CTD_116	CTD_117	CTD_118	CTD 119	CTD_120	CTD_121	CTD_122	CTD 124	CTD_125	CTD_126	CTD_127	CTD_128	CTD_129	CTD 130	CTD 132	CTD_133	CTD_134	CTD_135	CTD_136	CTD_137	CTD_138	CTD_139 CTD_140	CTD 141	CTD 142
Depth	<u>m</u>	17.6	17.8	18.0	18.2	18.3	18.4	18.3	18.0	17.7	17.3	17.0	16.7	16.5	16.2	15.8	15.7	15.5	15.5	15.5	16	15.9	22.3	7.0	9.0	13.8	15.4	17.8	20.8	24.8	30.1	30.5	39.5	40.9	39.5	38.0	38.6	13.7	38.3	38.5	37.8	38.3
Position	Longitude	008° 08,596' E	008° 08,595' E	008° 08,594' E	008° 08,593' E	008° 08,592′ E	008° 08,593° E	008° 08,584° E			008° 08,531' E			008° 08,514' E	008° 08,517' E			008° 08,507' E	008° 08,507' E	008° 08,507' E	008° 08,52' E	008° 08,547' E	008° 04,582' E	008° 22,572' E	008° 19,457' E	008° 13.363' E	008° 10,316′		008° 04,211' E	008° 01,135' E	007° 58,087' E	007° 53,629° E	007° 50,726' E	007° 48,267' E	007° 45,777' E	007° 43,381' E	007° 47,834' E	008° 15,349' E	007° 47,986' E	007° 47,995' E 007° 47,979' E		
Position	Latitude	54° 06,671' N	54° 06,669' N				54° 06,674' N	54° 06,662° N	54° 06,654' N	54° 06,661' N		54° 06,692' N	54° 06,694' N	54° 06,698' N	54° 06,700' N	54° 06,699' N	54° 06,698' N	54° 06,694' N	54° 06,692' N	54° 06,692' N	54° 06,7' N	54° 06,694' N	54° 00,245' N	54° 08,691' N	54° 08,237' N		54° 06,849' N			54° 05,460' N	54° 04,994' N	54° 05,000° N	54° 04.998' N			54° 05,000' N	54° 07,861' N	54° 10,889' N	54° 08,081' N	54° 08,081' N 54° 08,077' N	54° 08,089' N	54° 08.082' N
Time		2 12:30	2 13:00	2 13:31	2 14:00	2 14:29	2 15:02			2 17:02	2 17:31	2 18:03	2 18:30	2 19:03	2 19:34	2 20:00	2 20:30	2 21:01	2 21:32	2 22:01	2 22:29	2 23:00	2 06:41	2 10:18	2 10:42	2 11:32	11:55	2 12:18	2 12:44	13:07	2 13:33	13:54	2 14:37			2 15:43	2 06:56	2 09:27	2 16:01	2 16:36		2 18:00
Date		24.03.2022	24.03.2022	24.03.2022	24.03.2022 14:00	24.03.2022 14:29	24.03.2022	24.03.2022 15:29	24.03.2022 16:29	24.03.2022	24.03.2022 17:31	24.03.2022 18:03	24.03.2022 18:30	24.03.2022 19:03	24.03.2022 19:34	24.03.2022 20:00	24.03.202.	24.03.2022 21:01	24.03.2022 21:32	24.03.2022 22:01	СТБ 24.03.2022 22:29	24.03.2022 23:00	25.03.2022 06:41	25.03.2022 10:18	25.03.2022 10:42	25.03.2022	25.03.2022 11:55	25.03.2022 12:18	25.03.2022 12:44	25.03.2022 13:07	25.03.2022 13:33	25.03.2022 13:54	25.03.2022 14:10	25.03.2022 14:59	25.03.2022 15:20	25.03.2022 15:43	26.03.2022 06:56	26.03.2022 09:27	26.03.2022 16:01	26.03.2022 16:36 26.03.2022 17:02	26.03.2022 17:31	26.03.2022 18:00
Gear	Abbr.	_	$\overline{}$						E CE						CTD 2				CTD 2	СТР	СТБ	CTD	CTD ;	CTD 2	CTD		_								CTD 2		CTD			CTD	_	
-	HE595_	46-1-8	46-1-9	46-1-10	46-1-11	46-1-12	46-1-13	46-1-14	46-1-16	46-1-17	46-1-18	46-1-19	46-1-20	46-1-21	46-1-22	46-1-23	46-1-24	46-1-25	46-1-26	46-1-27	46-1-28	46-1-29	48-1	50-1	51-1	53-1	54-1	55-1	56-1	57-1	58-1	28-1	61-1	62-1	63-1	64-1	66-1	67-1	68-1-1	68-1-2	68-1-4	68-1-5

Figure 5: CTD data Processing Summary HE595 Page 9 of 20



Comments		no btl	no btl	no btl		no btl	no btl	no btl	no pt	140	10 01	F 50	no btl	no btl	no btl		no btl	no btl	no btl	no bti	pt	l#l				ptl						no btl	no btl	no btl	1	no btl	no pit	no btl	no btl							
_	╛							_		1		_					2			2	2					ou						ou	ou	ou		_							_			
ا ۾	Offse (r	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.0	0.0	0.2	0.2	0.2	0.5	0.1	0.1	0.2	0.2	0.2	2.0	0.3	0.3	0.4	0.3	0.4	0.4	4.0	4.0	0.4	0.4	0.4	0.4	4.0	0.5	4:0	4.0	0.4	0.4	0.3	0.3	0.3	0.0	0.2	0.0
Oxygen reference	ŧ۱	5.22	5.22	5.23	5.19	5.14	5.15	5.16	5.16	5 12	5.24	5.23	5.23	5.23	5.22	5.22	5.20	5.20	5.18	5.20	5.20	6.22	6.19	6.20	6.21	6.22	6.23	6.22	6.21	6.22	6.21	6.24	6.22	6.24	6.26	6.24	6.24	6.27	6.28	6.25	6.23	6.26	6.27	6.47	3.05	254
Oxyger	cruise/sss-cc	HE461/26-1	HE461/26-1	HE461/26-1	HE461/26-1	HE461/26-1	HE461/26-1	HE461/26-1	HE461/26-1	HE461/26.1	HE461/26-1	HE571 5-1	HE571 5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571 5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE5/1_5-1 HE571_5-1	HE571 5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1	HE571_5-1 HE671_6-1	HE571 5-1	HE571_30-1	UE 674 20 4										
+	٠t	_	0.29	0.28	Н	\dashv	+	0.30	+	+	+	+	┿	⊢	+	+	\dashv	4	+	+	+	0.20	0.28	0.28		Н		0.30	0.30	0.28	-	0.29	0.29	+	0.30	0.23	0.26	0.26	0.28	0.30	0.29	0.28	+	0.28	╁	╀
2 Oxy Sensors	٠I			-	Н		+	1597	+	$^{+}$	+	+	+	\vdash	+	-	\dashv	1597	+	+	1597	+	+			Н			1597	+	\vdash	H	H	+	1597		\vdash	Н	Н	\dashv		+	+		+	+
		`	`	_	Ì				ľ	ľ	<u> </u>	ļ	ľ	ľ						1	+	4	ľ				Ì	. 2			ľ	ľ	Ì	1		2	\vdash	-	Ì	Ì	`	+	+	Ť	15	ŀ
Complete	interp erased		10	15	2	2		ŕ	10	2 4	2 10	,		2	2			10	2	-	۽ و	2	9	15	15			10	و ر ا	2 2			10	2		16	2	2				+	2		t	ç
_	_																		1	+	1															l						+	\dagger	\dagger	3	l
š	interp erased		2	က	-	-		c	2 0	1 -	- -	-		-	-			7	-	1	- 0	7	2	က	က			2	2 4				2	-		6	-	-				+	\dagger	+		,
_	_									$\frac{1}{1}$		t					1		†		†	4						2						1		t						+	\dagger	+	3	ŀ
Flio	interp erased		2	3	-	-		c	2 0	1 -		+		-	-			2	-	1	7 0	7	2	3	က			2	2 4				2	-		8	-	-				1	\dagger	+	T	,
																	1		1	1	1													1		2		-				1	\dagger	\dagger	3	ľ
Trans	interp erased		2	9	-	-		c	2 0	1 -	- -	-		-	-			2	-	1	- 0	7	2	3	က			2	2				2	-		6	-	1				1	\dagger	+	Ī	
						1				T		t							1	T	1													1		t						1	T	\dagger	3	ľ
Sal	interp erased		2	3	-	-			2 0	1 -	-	+		-	-			2	-	1	- 0	7	2	3	က			2	7				2	-		4	-	-				1	-			ļ
ا ۾	erased																																									Ī	T	T	3	Ī
Temp	interp erased		2	ဗ	-	-		c	2 0	, -	-	-		-	-			2	-	1	- 0	7	2	3	က			2	2 4				2	-		8	-	-				Ī	-			,
Sensor	ball	-	-	-	-		_	- -	-		-		-	-	-	-	-	-	_	-	- ,	-	-	-	-	1	-	-	- ,		-	1	1	_		-	-	-	-	-	-	-	-		_	ļ
File Name	HE595_	CTD_143	CTD_144	CTD_145	CTD_146	CTD_147	CTD 148	CTD 149	CTD 151	CTD 152	CTD 153	CTD 154	CTD 155	CTD_156	CTD_157	CTD_158	CTD_159	CTD_160	CTD_161	CID_162	CID 163	CTD 165	CTD 166	CTD_167	CTD_168	CTD_169	CTD_170	CTD_171	CTD_172	CTD 174	CTD 175	CTD_176	CTD_177	CTD 178	CTD 1/9	CTD 181	CTD_182	CTD_183	CTD_184	CTD_185	CTD_186	CTD 187	CTD 188	CTD 189	CTD_191	00,000
_	4	-	\dashv	37.7	Н	+	+	36.8	+	+	+	+	+	_	+	-	+	-	-	+	+	35.2	+	-	⊢	Н	_	-	36.8	+	⊢	Н	Н	+	35.0	+	+	-	Н	34.4	-	_	+	34.8	+	2
Position		007° 48,002' E	007° 48,001' E	007° 47,968' E	007° 47,922' E	007° 47,891' E	007° 47,878' E	007° 47,878' E	007° 47.869' E	007° 47 879' E	007 47,679 E	007° 47 926' E	007° 47,944' E	007° 47,949' E	007° 47,964' E	007° 47,981' E				007" 48,002' E	007° 47,996' E	007° 50 126' F	007° 50,135' E	.200			007° 50,118' E	007° 50,120' E	007° 50,126′ E	007° 50.125' E	007° 50,127' E	007° 50,108' E	007° 50,110' E	007° 50,108' E	007° 50,077° E	007° 50.010' E	007° 50,012' E	007° 50,012' E	007° 50,061' E	007° 50,095' E		.00	007° 50,084' E	007° 50,408° E	008° 01,725′ E	L 1000 FO 8000
Position	_	- 1				- 1		54° 08,106' N	- 1	_				_		- 1		1 54° 08,101' N		- 1		54 06,069 N				3 54° 03,344' N			3 54° 03,345' N	- 1	1		-	_	54° 03,332° N	_					2 54° 03,334' N		_	54° 03,325° N	_	_
Time		18:31	19:03	26.03.2022 19:33	26.03.2022 20:02	22 20:37	26.03.2022 21:04	26.03.2022 21:33	122 22:03	26.03.2022 23:04	26.03.2022 23.01	27 03 2022 29:93	27.03.2022 00:32	27.03.2022 01:01	27.03.2022 01:32	27.03.2022 02:01	27.03.2022 02:34	27.03.2022 03:01	27.03.2022 03:33	27.03.2022 04:03	27.03.2022 04:33	28.03.2022 05:01	16:34	28.03.2022 17:02	28.03.2022 17:32	28.03.2022 18:03	18:32	28.03.2022 19:02	28.03.2022 19:33	28.03.2022 20:03	28.03.2022 21:02	28.03.2022 21:33	28.03.2022 22:01	28.03.2022 22:31	28.03.2022 23:00	29.03.2022 23.32	29.03.2022 00:32	29.03.2022 01:01	29.03.2022 01:32	29.03.2022 02:02	29.03.2022 02:32	29.03.2022 03:02	29.03.2022 03:30	29.03.2022 04:02	29.03.2022 11:31	7,
Date		26.03.2022	26.03.2022	_	$\overline{}$	26.03.2022	_		26.03.2022	26.03.20	26.03.20	27 03 26								_			28.03.2022				_			_		28.03.20	28.03.20	28.03.20	_	_	29.03.20	29.03.20	$\overline{}$	29.03.20		29.03.20	29.03.20		_	0000
ر Gear	+	_	7 CTD	3 CTD	\vdash	-	-	2 CTD	-	_	-	-	-	-		_	-	-		_	-		-	3 CTD	4 CTD	5 CTD	\rightarrow	\rightarrow	S CTD	_	-	2 CTD	-	_	S CID			9 CTD	\vdash	1 CTD	\rightarrow	_	4 CTD	_	+	t
Station	HEDBD	68-1-6	68-1-7	68-1-8	68-1-9	68-1-10	68-1-11	68-1-12	68-1-14	68-1-15	68-1-16	68-1-17	68-1-18	68-1-19	68-1-20	68-1-21	68-1-22	68-1-23	68-1-24	62-1-89	68-1-26	74-1-1	74-1-2	74-1-3	74-1-4	74-1-5	74-1-6	74-1-7	74-1-8	74-1-9	74-1-11	74-1-12	74-1-13	74-1-14	74 1 16	74-1-17	74-1-18	74-1-19	74-1-20	74-1-21	74-1-22	74-1-23	74-1-24	76-1	80-1	2



Comments	3	no bti	no pti	no bti	110 DII	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl		no btl	no btl	no btl	no bt	14 00	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl	no btl		no btl	no btl	no btl	no btl	no btl, wrong action in station	book no btl	no pt	F 6	100
_	╧	_	1		_													4				_	_	_	_													_		_		_	+	_	1	
reference		+	+	0. 2	+	+	H		6 1.2		\vdash		6 0.4	4 0.3	Н	\dashv	+	+	+	+	+	+	+	0.0	+	+	\vdash	H	9 0.1	\dashv	+	0.1	\vdash	0 0.5	0.5	+	+	+	1 0.5	+	╁		0.5	+	+	_
Oxygen reference	i dist.	+	+	79.0	+	-	H	\vdash	0.36				1.76	1 6.34	Н	+	4	+	+	+	\pm	+	+	3.70	+	╁	H			\dashv	_	3.12	_	1 0.20		-	_	_	0.21	+	\perp		0.32	-	+	
Oxyger	-sse/asin io	HE393/US-	HE395/05-1	HE395/06-1	HE305/30-1	HE395/04-1	HE461/16-1	HE461/16-1	HE395/51-1	HE461/55-1	HE461/15-1	HE461/15-1	HE571_30-1	HE571_30-1	HE461/43-1	HE571_33-1	HE571_32-1	HE461/22-1	HE461/39-1	HE571_7-1	HE571_22-1	HE461/31-1	HE461/53-1	HE461/30-1 HE461/30-1	HE461/54-1	HE571 23-1	HE461/55-1	HE461/76-2	HE461/56-1	HE461/28-1	HE461/37-1	HE461/63-1 HF461/12-1	HE461/26-1	HE571_22-1	HE571_22-1	HE571_22-1	HE571_22-1	HE571_22-1	HE571_22-1 HE571_22-1	HE571 22-1	HE571_22-1	HE571_22-1	HE571 22-1	HE571 22-1	1 22 1 22 1	
ensors Officet	as o	0.20	0.29	0.25	0.23	0.29	0.31	0.31	0.29	0.28	0.30	0.29	0.28	0.28	0.26	0.32	0.35	0.34	0.47	0.31	0.28	0.30	0.30	0.30	0.32	0.27	0.29	0.28	0.29	0.28	0.26	0.27	0.28	0.27	0.33	0.28	0.27	0.27	0.28	0.29	0.28	0.27	0.27	0.27	3 6	
inform oracid Source Officet	Jelisoi 1507	1507	1597	1597	1507	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	1597	100	
Slete	nasen		Ī														1	3					,	2 4	,		7												e	T	T		Ť	2	,	
Complete	diam	u	c	ć	2		15	2		2			10			4	2	2	4	2							2	2				n n	2	2						Ī	2		ĸ	,	Ī	
Oxy	eraseu																							-	-														m	Ī				-	Ī	
oxy	diam	,	-	c	7		9	-		-			2				-	-		-							-	-						-							-		-			
inform oracod	elaseu																,	3						-	-		1																	_		
_	_	,	-	c	7		3	-		1			2				-	-		-							1	1						1							-					
I rans	eraseu																							7 -	-		9																	_	I	
_	_	,	-	c	7		က	-		-			2				-	-		-							-	-						-							-		-	1		
sal	nasen																						,	ω -	-																			_		
_	_	,	-	c	7		9	-		-			2				-	-	2	-							-	-					-	-							-		+	-		
lemp	elasen																						,	2 -	_															l	L		1	_		
<u> </u>	dialiii	,	-	٠	7		9	-		-			2			4	- -	-	2	-							-	-					-	-						\perp	-		-	-		
Sensor	<u>.</u>	- -	- ,	- -	- -	- -	-	-	-	-	-	-	-	-	-	-	- -	-	-	-	-	-	-	-	- -		-	-	-	-	-		-	-	-	-	-	-	- -	- -	-	-	-	- -	. .	
File Name	TE393	T 2	CID_195	CTD 196	CTD 197	CTD 199	CTD 200	CTD_201	CTD_202	CTD 203	CTD_204	CTD_205	CTD_206	CTD_207	CTD_208	CTD_209	CTD_210	CTD_211	CTD 212	CTD_213	CTD 214	CTD_215	CTD_216	CTD 218	CTD 219	CTD 220	CTD 221	CTD_222	CTD_223	CTD_224	CTD 225	CTD_226	CTD 228	CTD_229	CTD_230	CTD_231	CTD 232	CTD 233	CTD 234	CTD 236	CTD 237	CTD_238	CTD 239	CTD 240	210	
Depth	7 %	1.02	24.5	23.3	22.0	22.3	22.6	23.5	23.3	21.7	6.6	11.5	26.8	24.2	18.1	12.7	8.7	10.7	11.4	22.6	7.9	11.5	12.2	1.7	22.3	23.6	27.4	28.8	3.7			54.6	39.8	0.0	0.0	0.0	0.0	8.1	8.5	8.5	9.0	4.0	9	10.8	2 5	
Position		008 01,687 E	008 01,/12 E	008° 01,724° E	000 01,713 E	008° 01,733′ E	008° 01.718' E	008° 01,721' E	008° 01,699' E	008° 01,742' E	008° 01,766' E	008° 01,716' E	008° 04,462' E	008° 09,312' E	008° 41,763' E	008° 37,276' E	008° 27,222′ E	008° 19,798' E	008° 14,089' E	008° 09,994' E	008° 20,433' E	008° 19,082' E	008° 15,321' E	008° 12,180° E	008° 06,934 E	008° 05,029' E	008° 02,948' E	008° 00,791' E	007° 58,306' E	007° 57,312' E	007° 56,142' E	007° 53,378' E	007° 47,417' E	008° 20,133' E	008° 20,137' E	008° 20,140' E	008° 20,135' E	008° 20,133' E	008° 20,150° E	008° 20,130 E	20,164	008° 20,230' E	008° 20 243' F	008° 20.243′ E	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	J
Position	┿	+	_	54° 02,613° N	+	_		54° 08,821' N (-	-	-	\vdash		53° 54,358' N			\rightarrow		54° 54,937' N (\rightarrow		54° 12,077° N		-	-	-				54° 08,347' N (-		\rightarrow	_	\rightarrow	-	54° 08,245° N (-	-	_	N 392 80 %	54° 08.267' N		
Time	20.04	12:31		- 1	- 1	15:18	15:42		16:32	16:57	17:22	ı		11:14			14:54		16:01	14:33 £	06:37 &	- 1	07:31	08:14	08:34						- 1	- 1				- 1			- 1	- 1		1	21.03			
Date	0000	29.03.2022	29.03.2022	29.03.2022 13:59	20.03.2022	29.03.2022	29.03.2022	29.03.2022 16:07	29.03.2022	29.03.2022	29.03.2022	29.03.2022 17:46	30.03.2022 09:54	30.03.2022	30.03.2022	30.03.2022 14:13	30.03.2022 14:54	30.03.2022	30.03.2022 16:01	31.03.2022 14:33	71.04.2022	01.04.2022 07:07	01.04.2022 07:31	01.04.2022 07:54	01.04.2022 08:34	01.04.2022 08:54	01.04.2022 09:16	01.04.2022 09:38	01.04.2022 09:59	01.04.2022	01.04.2022 10:50	01.04.2022 11:15	01.04.2022	01.04.2022 16:03	01.04.2022 16:31	01.04.2022 17:02	01.04.2022	01.04.2022 18:02	01.04.2022 18:32	01.04.2022	01.04.2022 20:03	01.04.2022 20:33	01 04 2022 21:03	01.04.2022 21:32	01.01.5022	
Gear	-	_	_		_	_	-		CTD 2	CTD 2	-	CTD 2	CTD 3	СТР			_	_											CTD			o E		CTD	_	СТБ	CTD	_		_	_	СТБ	CT	CTO	9 6	
Station HF595	,	64.4	04-1	20-1	-00-	88-1	89-1	90-1	91-1	92-1	93-1	1-46	1-66	100-1	101-1	102-1	103-1	104-1	105-1	108-1	111-1	112-1	113-1	115-1	116-1	117-1	118-1	119-1	120-1	121-1	122-1	123-1	125-1	127-1-1	127-1-2	127-1-3	127-1-4	127-1-5	127-1-6	127-1-8	127-1-9	127-1-10	127-1-11	127-1-12	4 , 10,	

Figure 7: CTD data Processing Summary HE595 Page 11 of 20



Station Gear	Ir Date	Timo	Position	Position	Depth	Depth File Name 8	Sensor	Temp	Ś	Sal	Trans		Fluor	0xy		Complete	2 Oxy Sensors	ensors	Oxygen	Oxygen reference		Commonte
HE595_ Abbr.		Þ	Latitude	Longitude	[m]	HE595_	pair	interp erased	d interp	erased	interp era	erased interp	rp erased	interp	erased inte	interp erased	Sensor	Offset	cruise/sss-cc dist. (km)	dist. (km)	Offset	Collinelles
127-1-15 CTD	O1.04.2022	2 23:04	CTD 01.04.2022 23:04 54° 08,243' N	008° 20,160' E	11.5	CTD_243	-										1597	0.29	HE571_22-1	0.22	9.0	no btl
127-1-16 CTD	01.04.2022	2 23:33	CTD 01.04.2022 23:33 54° 08,249' N	008° 20,145' E	11.3	CTD_244	-										1597	0.29	HE571_22-1	0.20	0.5	
127-1-17 CTD	O2.04.2022	2 00:01	CTD 02.04.2022 00:01 54° 08,248' N	008° 20,143' E	11.2	CTD_245	-	-	-		-				က	_	1597	0.30	HE571_22-1	0.20	9.0	no btl
127-1-18 CTD	02.04.2022	2 00:32	CTD 02.04.2022 00:32 54° 08,248' N	008° 20,145' E	11.3	CTD_246	-										1597	0.31	HE571_22-1	0.21	9.0	no btl
127-1-19 CTD	CTD 02.04.2022 01:01	2 01:01	54° 08,246' N	008° 20,141' E	10.9	CTD_247	-	2	2						4		1597	0.29	HE571_22-1	0.20	0.5	no btl
127-1-20 CTD	02.04.2022 01:30		54° 08,247' N	008° 20,137' E	10.5	CTD_248	-	-	-		-	-		-	2		1597	0.32	HE571_22-1	0.19	0.5	no btl
127-1-21 CTD	02.04.2022 02:01		54° 08,251' N	008° 20,132' E	10.6	CTD_249	-										1597	0.33	HE571_22-1	0.19	9.0	no btl
127-1-22 CTD	02.04.2022	2 02:31	CTD 02.04.2022 02:31 54° 08,248' N	008° 20,137' E	10.1	CTD_250	-										1597	0.35	HE571_22-1	0.20	9.0	no btl
127-1-23 CTD	O2.04.2022	2 03:01	CTD 02.04.2022 03:01 54° 08,250' N	008° 20,132' E	6.6	CTD_251	-										1597	0.33	HE571_22-1	0.19	9.0	no btl
127-1-24 CTD	O2.04.2022	2 03:30	CTD 02.04.2022 03:30 54° 08,244' N	008° 20,144' E	8.8	CTD_252	1										1597	0.30	HE571_22-1	0.20	9.0	no btl
127-1-25 CTD	O2.04.2022	2 03:59	CTD 02.04.2022 03:59 54° 08,244' N	008° 20,144' E	8.9	CTD_253	-										1597	0.29	HE571_22-1	0.20	9.0	no btl
127-1-26 CTD	02.04.2022	2 04:28	CTD 02.04.2022 04:28 54° 08,242' N	008° 20,149' E	9.8	CTD_254	-										1597	0.32	HE571_22-1	0.21	9.0	no btl
127-1-27 CTD	CTD 02.04.2022 05:00	2 05:00	54° 08,241' N	008° 20,153' E	8.4	CTD_255	-										1597	0.35	HE571_22-1	0.21	0.5	no btl
127-1-28 CTD	02.04.2022 05:29	2 05:29	54° 08,239' N	008° 20,170' E	8.5	CTD_256	1										1597	0.35	HE571_22-1	0.23	0.4	no btl
127-1-29 CTD	02.04.2022 06:00		54° 08,238' N	008° 20,167' E	7.7	CTD_257	1										1597	0.27	HE571_22-1	0.22	9.0	no btl
								150	13 147	16	140	26 1	142 38	139	. 22	718 115						

Figure 8: CTD data Processing Summary HE595 Page 12 of 20






Figure 9: ODV Screenshot of all HE595 CTD data






Figure 10: ODV Screenshot of HE595 CTD data of station 7-1 Page 14 of 20






Figure 11: ODV Screenshot of all HE595 CTD data of station 21-1 Page 15 of 20






Figure 12: ODV Screenshot of all HE595 CTD data of station 40-1 Page 16 of 20






Figure 13: ODV Screenshot of all HE595 CTD data of station 46-1 Page 17 of 20






Figure 14: ODV Screenshot of all HE595 CTD data of station 68-1 Page 18 of 20






Figure 15: ODV Screenshot of all HE595 CTD data of station 74-1 Page 19 of 20






Figure 16: ODV Screenshot of all HE595 CTD data of station 127-1 Page 20 of 20