Core no. V 26-124 N 16° 07.80' W 74° 07.80': 3005 m b.s.l.

Age control: Date: 1998

- *G. ruber* and *G. sacculifer* $\delta^{18}O$ records (Sarnthein, this paper).
- AMS ^{14}C analogue stratigraphy.

Age/depth correlation :

Orig. depth	^{14}C age	Calendar years	Sed.rate	Original interval/ material/
[cm]	[ky BP]	[ka]	[cm/ky]	$\delta^{18}O$ stratigraphy
58	14.8	18.3	ca. 3	AMS ^{14}C analogue

Remarks:

-

Original references:

- CLIMAP Project Members (1994): CLIMAP 18K Database. IGBP PAGES/World Data Center-A for Paleoclimatology Data Contribution Series # 94-001. NOAA/NGDC Paleoclimatology Program, Boulder CO, USA.
- CLIMAP Project Members (1981): Seasonal reconstruction of the earth's surface at the Last Glacial Maximum, Geol. Soc. Amer., Map and Chart Series #36.

LGM time slice: conjectural, per analogy with neighbor sites

- GLAMAP: 58-78 cm orig. depth
- EPILOG: 62-84 cm orig. depth

LGM foraminifera counts: Pflaumann (UP)

- GLAMAP: 64, 71, 74 cm orig. depth
- EPILOG: 64, 71, 74 cm orig. depth

References for faunal analysis:

- Pflaumann et al., Paleoceanography, in prep.


V 26-124
GLAMAP
EPILOG
G. ruber
G. sacculifer
summer
winter
° C
28
24
20
-2
-1
0
1
δ18O
(‰)
0
20
40
60
80
100
Depth (cm)