


This is the simple example template containing only headers for each report item and the bookmarks.

Modify it according to your own needs and standards.

Measurement Conditions: (Bookmark 1)



Main Graphics, Analyze View: (Bookmark 2)

Recognized Minerals: (Bookmark 3)

Quality	Score	SemiQuant [%]	Compound Name	Chemical Formula	Scale Factor	Ref. Code	Displacement [°2Th.]	RIR
"C"	77	50	Quartz	Si O ₂	0.790	01-078-2315	-0.017	3.100
"S";UE	45	12	Albite, ordered	Na Al Si ₃ O ₈	0.041	00-009-0466	0.012	0.650
"S";UE	24	20	Phlogopite-1\ITM\R	K Mg ₃ (Si ₃ Al) O ₁₀ F ₂	0.082	00-016-0344	-0.032	0.800

			G, syn						
"S";UE	35	10	Microcline, ordered	K Al Si3 O8	0.030	00-019-0926	0.005	0.600	
"O";D;UE	24	1	Clinoclone, ferroan	(Mg2.8 Fe1.7 Al1.2) (Si2.8 Al1.2) O10 (O H)8	0.005	00-007-0076	0.017	0.650	
"I";D;UE	22	1	Gibbsite	Al (O H)3	0.011	00-007-0324	0.044	1.910	
"C"	21	1	Sepiolite	Mg8 (O H)4 Si12 O30 (H2 O)12	0.019	01-075-1597	-0.007	5.070	
"C"	19	-	Ganophyllite	K2.16 Mn16 Si26.9 O67.8 (O H)8	0.010	01-085-1405	-0.027	9.170	
"C"	18	-	Chabazite - from north-east Azerbaijan, Iran	Ca1.4 Sr0.3 Al3.8 Si8.3 O24 (H2 O)7.68	0.006	01-085-0971	-0.005	3.620	
"I";UE	22	4	Koninckite	Fe P O4 !3 H2 O	0.020	00-041-1489	0.027	1.000	

Candidate List: (Bookmark 4)

Score	RIR	Compound Name	Scale Factor	Chemical Formula	Total Lines	Matched Lines	New Matched Lines	Strong Unmatched Lines	Displacement [°2Th.]	Ref. Code
9	0.000	Ushkovite	0.001	Mg Fe2 (P O4)2 (O H)2 !8 H2 O	16	14	1	0	-0.029	00-035-0685
8	0.000	Anapaite	0.005	Ca2 Fe (P O4)2 !4 H2 O	77	35	1	0	-0.131	00-034-0148
7	0.580	Phlogopite	0.002	K0.9 Mn0.1 Mg3	118	42	1	0	-0.004	01-072-0165

				Fe Si3						
				O10 (
				O H)2						
6	0.000	Hauyn e	0.003	(Na ,	28	18	1	0	-0.205	00- 047- 1881
				K , Ca						
)8 (Si ,						
				Al)12						
				O24 (
				S O4						
)2						
6	0.680	Anapai te	0.006	Ca2 Fe	150	61	1	0	-0.137	01- 083- 2298
				(P O4						
)2 (H2						
				O)4						
6	0.000	Hauyn e	0.004	Na6	44	19	1	0	-0.246	00- 037- 0473
				Ca2						
				Al6						
				Si6						
				O24 (
				S O4						
)2						
5	0.000	Lutecit e [NR]	0.001	Si O2	36	22	1	0	-0.136	00- 046- 1441
5	0.950	Cancr nite, syn	0.002	Na8 (104	42	1	0	-0.113	01- 078- 2494
				Al6						
				Si6						
				O24) (
				O H						
)2.04 (
				H2 O						
)2.66						
5	0.000	Loewei te	0.001	Na12	30	17	1	1	-0.005	00- 021- 1139
				Mg7 (
				S O4						
)13 !15						
				H2 O						
5	2.250	Sodalit e, syn	0.032	Ca8 (138	69	1	0	0.069	01- 077- 1348
				Al12						
				O24) (
				W O4						
)2						

Peak List: (Bookmark 3)

d- spacin g [Å]	Pos. [°2Th.]	Height [cts]	FWH M [°2Th.]	Rel. Int. [%]	Tip width [°2Th.]	Match ed by	Height [cps]	Area [cps*° 2Th.]	Area [cts*°2 Th.]	Match ed
14.220	6.2155	34.36	0.2007	0.24	0.2040	00-	0.34	0.07	6.80	Yes

25						007-0076				
13.15196	6.7209	83.80	0.5594	0.59	0.4662	01-075-1597	0.84	0.31	31.25	Yes
12.94554	6.8282	96.90	0.5176	0.68	0.4313		0.97	0.34	33.43	No
12.57270	7.0310	86.60	0.3272	0.61	0.2727	01-085-1405	0.87	0.19	18.89	Yes
12.23614	7.2246	116.60	0.2432	0.82	0.2027	01-075-1597; 01-085-1405	1.17	0.19	18.91	Yes
12.06484	7.3273	82.58	0.0200	0.58	0.0167	01-075-1597; 01-085-1405	0.83	0.01	1.10	Yes
9.95915	8.8794	393.30	0.0836	2.78	0.0850	00-016-0344	3.95	0.33	32.45	Yes
9.36950	9.4394	20.10	0.2007	0.14	0.2040	01-085-0971; 00-041-1489	0.20	0.04	3.98	Yes
8.42043	10.5062	113.47	0.0836	0.80	0.0850	00-041-1489	1.14	0.09	9.36	Yes
7.30386	12.1179	51.95	0.3608	0.37	0.3007	00-041-1489	0.52	0.13	12.50	Yes
7.15210	12.3761	113.60	0.1822	0.80	0.1518	00-007-0076; 01-085-1405	1.14	0.14	13.80	Yes
7.06112	12.5362	89.52	0.0836	0.63	0.0850	00-007-0076; 01-085-1405	0.90	0.07	7.39	Yes
6.72948	13.1566	60.40	0.2108	0.43	0.1757	00-019-	0.61	0.09	8.49	Yes

						0926; 01- 075- 1597; 01- 085- 1405				
6.4859 6	13.652 9	144.68	0.0669	1.02	0.0680	00- 019- 0926	1.45	0.10	9.55	Yes
6.3799 8	13.880 8	148.35	0.0669	1.05	0.0680	00- 009- 0466; 01- 085- 0971	1.49	0.10	9.79	Yes
5.8733 8	15.084 8	7.53	0.2676	0.05	0.2720	00- 009- 0466; 00- 019- 0926	0.08	0.02	1.99	Yes
4.9837 9	17.797 5	64.90	0.1004	0.46	0.1020	00- 016- 0344; 01- 075- 1597; 01- 085- 1405; 01- 085- 0971	0.65	0.06	6.43	Yes
4.8450 7	18.311 4	148.39	0.0669	1.05	0.0680	00- 007- 0324; 01- 075- 1597	1.49	0.10	9.79	Yes
4.7077 9	18.850 1	12.13	0.2007	0.09	0.2040	00- 007- 0076; 01- 075- 1597; 01- 085- 1405; 01-	0.12	0.02	2.40	Yes

4.2577 3	20.863 9	3251.5 8	0.1004	22.96	0.1020	085- 0971 01- 078- 2315; 00- 019- 0926; 01- 085- 1405; 00- 041- 1489	32.62	3.23	321.93	Yes
4.0351 7	22.028 6	98.14	0.0669	0.69	0.0680	00- 009- 0466; 01- 085- 0971	0.98	0.06	6.48	Yes
3.8541 6	23.077 1	38.84	0.1338	0.27	0.1360	00- 009- 0466; 00- 019- 0926; 01- 085- 0971; 00- 041- 1489	0.39	0.05	5.13	Yes
3.7787 3	23.544 3	123.93	0.0669	0.88	0.0680	00- 009- 0466; 01- 075- 1597; 00- 041- 1489	1.24	0.08	8.18	Yes
3.6587 9	24.327 7	71.35	0.2007	0.50	0.2040	00- 009- 0466; 00- 016- 0344; 00- 019- 0926;	0.72	0.14	14.13	Yes

						00-041-1489				
3.5994	24.735	12.90	0.2007	0.09	0.2040	00-019-0926;	0.13	0.03	2.55	Yes
6	0					01-075-1597;				
						01-085-0971				
3.4718	25.659	62.12	0.1673	0.44	0.1700	00-009-0466;	0.62	0.10	10.25	Yes
2	6					00-019-0926;				
						01-085-1405;				
						01-085-0971;				
						00-041-1489				
3.3459	26.642	14163.	0.1004	100.00	0.1020	01-078-2315;	142.06	14.07	1402.2	Yes
6	2	16				00-016-0344;			7	
						01-075-1597;				
						01-085-1405;				
						00-041-1489				
3.2484	27.457	1074.5	0.0836	7.59	0.0850	00-019-0926;	10.78	0.89	88.66	Yes
2	6	7				01-075-1597;				
						01-085-				

						0971; 00- 041- 1489				
3.1956 1	27.920 5	772.54	0.0836	5.45	0.0850	00- 009- 0466; 00- 007- 0324; 01- 075- 1597; 01- 085- 1405; 01- 085- 0971; 00- 041- 1489	7.75	0.64	63.74	Yes
2.9590 2	30.204 0	32.79	0.2676	0.23	0.2720	00- 009- 0466; 00- 019- 0926	0.33	0.09	8.66	Yes
2.9319 8	30.489 2	46.94	0.1004	0.33	0.1020	00- 009- 0466; 01- 085- 1405; 01- 085- 0971	0.47	0.05	4.65	Yes
2.8981 5	30.853 9	66.53	0.1338	0.47	0.1360	00- 016- 0344; 00- 019- 0926; 01- 075- 1597; 01- 085- 1405; 01-	0.67	0.09	8.78	Yes

2.6511	33.811	16.29	0.2676	0.12	0.2720	085-0971	0.16	0.04	4.30	Yes
0	6					00-009-0466;				
						00-016-0344;				
						00-007-0076;				
						01-075-1597;				
						01-085-1405				
2.5617	35.027	35.22	0.2676	0.25	0.2720	00-009-0466;	0.35	0.09	9.30	Yes
8	9					00-019-0926;				
						00-007-0076;				
						01-075-1597;				
						01-085-1405;				
						00-041-1489				
2.4568	36.544	974.96	0.1020	6.88	0.0850	01-078-2315;	9.78	1.33	132.59	Yes
7	1					00-009-0466;				
						00-007-0076;				
						00-007-0324;				
						01-075-1597;				

						075- 1597; 01- 085- 1405; 01- 085- 0971				
2.1812 1	41.360 5	19.23	0.2448	0.14	0.2040	00- 009- 0466; 00- 019- 0926; 01- 075- 1597; 01- 085- 1405	0.19	0.06	6.28	Yes
2.1588 0	41.809 8	96.18	0.3264	0.68	0.2720	00- 016- 0344; 00- 019- 0926; 00- 007- 0324; 01- 075- 1597; 01- 085- 1405; 01- 085- 0971	0.96	0.42	41.86	Yes
2.1276 3	42.451 8	660.62	0.0816	4.66	0.0680	01- 078- 2315; 00- 009- 0466; 01- 075- 1597; 01- 085- 1405;	6.63	0.72	71.88	Yes

						01- 085- 0971; 00- 041- 1489				
2.1270 9	42.573 7	301.53	0.0612	2.13	0.0510		3.02	0.25	24.60	No
1.9929 0	45.476 4	54.85	0.1632	0.39	0.1360	00- 009- 0466; 00- 016- 0344; 00- 019- 0926; 00- 007- 0324; 01- 075- 1597; 01- 085- 1405; 01- 085- 0971	0.55	0.12	11.93	Yes
1.9798 6	45.793 1	372.03	0.1020	2.63	0.0850	01- 078- 2315; 00- 009- 0466; 00- 019- 0926; 01- 075- 1597; 01- 085- 1405	3.73	0.51	50.60	Yes
1.9796 2	45.919 1	205.99	0.0612	1.45	0.0510		2.07	0.17	16.81	No
1.9233 9	47.217 6	7.21	0.6528	0.05	0.5440	00- 009- 0466; 00-	0.07	0.06	6.28	Yes

						019-0926; 00-007-0324; 01-075-1597; 01-085-1405; 00-041-1489					
1.8857 3	48.219 8	3.60	0.4080	0.03	0.3400	00-009-0466; 00-019-0926; 00-007-0076; 01-075-1597; 01-085-1405	0.04	0.02	1.96	Yes	
1.8180 5	50.136 2	1269.5 9	0.0816	8.96	0.0680	01-078-2315; 00-009-0466; 00-019-0926; 01-075-1597; 01-085-1405	12.73	1.39	138.13	Yes	
1.8178 0	50.276 9	618.62	0.0612	4.37	0.0510		6.21	0.51	50.48	No	
1.8025 0	50.599 1	76.07	0.2040	0.54	0.1700	01-078-2315; 00-	0.76	0.21	20.69	Yes	

						009- 0466; 00- 019- 0926; 00- 007- 0324; 01- 075- 1597; 01- 085- 1405; 01- 085- 0971; 00- 041- 1489				
1.6718 5	54.870 7	376.09	0.1020	2.66	0.0850	01- 078- 2315; 01- 075- 1597; 01- 085- 1405; 01- 085- 0971	3.77	0.51	51.15	Yes
1.6716 5	55.025 7	216.35	0.0612	1.53	0.0510		2.17	0.18	17.65	No
1.6593 3	55.320 1	127.39	0.1020	0.90	0.0850	01- 078- 2315; 00- 007- 0076; 01- 075- 1597; 01- 085- 1405	1.28	0.17	17.32	Yes
1.6592 4	55.472 6	90.83	0.0612	0.64	0.0510		0.91	0.07	7.41	No
1.5725 6	58.659 9	18.37	0.1632	0.13	0.1360	00- 007-	0.18	0.04	4.00	Yes

						0324; 01- 085- 1405; 00- 041- 1489				
1.5416 9	59.953 0	824.08	0.1020	5.82	0.0850	01- 078- 2315; 00- 007- 0076; 01- 085- 0971	8.27	1.12	112.08	Yes
1.5418 3	60.111 4	426.86	0.0816	3.01	0.0680		4.28	0.47	46.44	No
1.4529 6	64.032 3	141.05	0.1020	1.00	0.0850	01- 078- 2315; 00- 007- 0324; 01- 085- 0971	1.41	0.19	19.18	Yes
1.4530 6	64.205 7	66.01	0.1020	0.47	0.0850		0.66	0.09	8.98	No
1.4192 6	65.741 5	37.53	0.1428	0.27	0.1190	01- 078- 2315; 00- 007- 0076; 01- 085- 0971; 00- 041- 1489	0.38	0.07	7.15	Yes
1.3823 3	67.731 2	441.75	0.1020	3.12	0.0850	01- 078- 2315; 00- 007- 0324; 01- 085- 0971	4.43	0.60	60.08	Yes

1.3822 6	67.926 5	228.15	0.0612	1.61	0.0510		2.29	0.19	18.62	No
1.3752 2	68.129 2	546.91	0.0816	3.86	0.0680	01- 078- 2315; 01- 085- 0971; 00- 041- 1489	5.49	0.60	59.50	Yes
1.3718 7	68.318 4	580.73	0.1020	4.10	0.0850	01- 078- 2315; 01- 085- 0971; 00- 041- 1489	5.83	0.79	78.98	Yes
1.3721 5	68.496 1	177.73	0.0816	1.25	0.0680		1.78	0.19	19.34	No
1.2882 6	73.444 5	127.61	0.1020	0.90	0.0850	01- 078- 2315; 01- 085- 0971; 00- 041- 1489	1.28	0.17	17.36	Yes
1.2879 1	73.680 3	84.11	0.0816	0.59	0.0680		0.84	0.09	9.15	No
1.2560 5	75.652 7	225.96	0.1428	1.60	0.1190	01- 078- 2315; 01- 085- 0971	2.27	0.43	43.02	Yes
1.2562 9	75.856 6	115.71	0.1020	0.82	0.0850		1.16	0.16	15.74	No
1.2285 8	77.655 5	127.24	0.1020	0.90	0.0850	01- 078- 2315; 01- 085- 0971	1.28	0.17	17.30	Yes
1.2284 2	77.896 9	49.81	0.1224	0.35	0.1020		0.50	0.08	8.13	No
1.1999	79.873	241.10	0.0816	1.70	0.0680	01-	2.42	0.26	26.23	Yes

5	5					078- 2315; 01- 085- 0971				
1.2000 2	80.106 9	108.24	0.0816	0.76	0.0680		1.09	0.12	11.78	No
1.1840 4	81.169 0	127.57	0.1632	0.90	0.1360	01- 078- 2315	1.28	0.28	27.76	Yes
1.1802 9	81.480 9	222.41	0.1836	1.57	0.1530	01- 078- 2315; 01- 085- 0971	2.23	0.55	54.44	Yes
1.1802 2	81.732 9	96.24	0.1224	0.68	0.1020		0.97	0.16	15.71	No
1.1531 7	83.823 4	118.41	0.1020	0.84	0.0850	01- 078- 2315; 01- 085- 0971	1.19	0.16	16.10	Yes
1.1531 1	84.084 7	47.13	0.1224	0.33	0.1020		0.47	0.08	7.69	No

More items... (Bookmark 6)

Visible	Scan Name	Start pos. [°2Th.]	End pos. [°2Th.]	Step [°2Th.]	Measured Date/Time
*	388 18+mue	3.0080	84.9820	0.0170	30-jun-2007 08:21

More items... (Bookmark 7)

Document History: (Bookmark 5)

Insert Measurement:

- Scan name = "388 18+mue.udf"
- Modification time = "18/07/2007 18:28:16"
- Modification editor = "Administrator"

Interpolate Step Size:

- Step Size = "Derived"
- Modification time = "18/07/2007 18:28:16"
- Modification editor = "Administrator"

Search Peaks:

- Minimum significance = "1.00"

- Minimum tip width = "0.01"
- Maximum tip width = "1.00"
- Peak base width = "5.00"
- Method = "Minimum 2nd derivative"
- Modification time = "18/07/2007 18:28:20"
- Modification editor = "Administrator"

Determine Background:

- Correction method = "Automatic"
- Bending factor = "0"
- Use smoothed input data = "Yes"
- Add to net scan = "Nothing"
- Modification time = "18/07/2007 18:28:25"
- Modification editor = "Administrator"

Search Peaks:

- Minimum significance = "1.00"
- Minimum tip width = "0.01"
- Maximum tip width = "1.00"
- Peak base width = "5.00"
- Method = "Minimum 2nd derivative"
- Modification time = "18/07/2007 18:28:29"
- Modification editor = "Administrator"

Delete Peak(s):

- Start position = "3.0392"
- End position = "3.0392"
- Modification time = "18/07/2007 18:28:37"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "7.2246"
- Modification time = "18/07/2007 18:28:42"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.8282"
- Modification time = "18/07/2007 18:28:45"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "7.0310"
- Modification time = "18/07/2007 18:28:46"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.7209"
- Modification time = "18/07/2007 18:28:47"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "7.3273"
- Modification time = "18/07/2007 18:28:49"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.3761"
- Modification time = "18/07/2007 18:29:07"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "13.1566"
- Modification time = "18/07/2007 18:29:09"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.1179"
- Modification time = "18/07/2007 18:29:16"
- Modification editor = "Administrator"

Search-Match:

- Data source = "Profile and peak list"
- Restriction = "Restriction set"
- Description = "Minerals subfile only"
- All of: elements = ""
- At least one of: elements = ""
- None of: elements = ""
- Maximum no. of elements = "105"
- Skip marked as deleted by ICDD = "No"
- Skip marked as deleted by a user = "No"
- Quality marks set = ""
- Subfiles = "M"
- Scoring schema = "Multi phase"
- Auto residue = "Yes"
- Match intensity = "Yes"
- Demote unmatched strong = "Yes"
- Allow pattern shift = "Yes"
- Two theta shift = "0"
- Identify = "No"
- Modification time = "18/07/2007 18:29:43"
- Modification editor = "Administrator"

More items... (Bookmark 8)

More items... (Bookmark 9)

More items... (Bookmark 10)

More items... (Bookmark 11)

More items... (Bookmark 12)

More items... (Bookmark 13)

More items... (Bookmark 14)

More items... (Bookmark 15)